

ชื่อสามัญ	บัญชี	ราคาขาย (บาท)	เงื่อนไข การสั่ง
1. Gastrointestinal systems			
1.1 Antacids and other drugs for dyspepsia			
(1) Aluminium hydroxide tab. 300 mg. (Nomag [®])	ก	1	
(2) Aluminium hydroxide + Magnesium hydroxide tab.	ก	1	
(3) Aluminium hydroxide + Magnesium hydroxide susp., 240 ml.	ก	18	
(4) Carminative mixture, 180 ml.	ก	13	
(5) Simethicone 67 mg./ml. drops (Air-X [®] , Simcone-T [®])	ก	22.5	
(6) Simethicone tab. 80 mg. (Air-X [®] , Simcone-T [®])	ก	1	
(7) Sodium alginate 500 mg + Sodium bicarbonate 213 mg + Calcium carbonate 325 mg solution, 10 ml (Gaviscon Dual action [®])	NED	19.5	RP (เฉพาะ GI ENT GYN)
1.2 Antispasmodics and other drugs altering gut motility			
(1) Dicyclomine HCl tab. 10 mg.	ก	1	
(2) Domperidone maleate tab. 10 mg. (Motilium [®])	ก	1	
(3) Domperidone susp. 5 mg./5 ml., 30 ml. (Motilium [®])	ก	8.25	
(4) Hyoscine-n- butylbromide inj. 20 mg./ml., 1 ml. (Buscopan [®])	ก	6	
(5) Mebeverine HCl tab 135 mg (Duspatin [®] , Colofac [®])	ข	3	
(6) Metoclopramide hydrochloride tab. 10 mg. (Plasil [®])	ก	0.5	
(7) Metoclopramide hydrochloride inj. 10 mg./2 ml. (Plasil [®])	ก	3.5	
(8) Metoclopramide syr 0.1 mg./ml. (Plasil [®]) (ยาเตรียมเฉพาะราย)	extemp	50.5	
(9) Dicyclomine HCl 5 mg. + Simethicone syr. 50 mg./5 ml., 60 ml. (Berclomine [®] , Simcomine [®])	NED	13	
(10) Mosapride citrate tab. 5 mg. (Gasmotin [®])	NED	17	RP
1.3 Ulcer-healing drugs and drugs used in variceal bleeding			
(1) Bismuth subsalicylate tab. 1084 mg. (Gastro-Bismol [®])	ง	11	E
(2) Famotidine tab. 20 mg	NED	1	
(3) Esoprazole tab. 30 mg. (Nexium [®])	NED		RP
(4) Lansoprazole tab. 30 mg. (Prevacid [®])	NED	46	RP
(5) Octreotide acetate inj. 0.1 mg./ml. (Sandostatin [®])	ง	197	E
(6) Omeprazole cap 20 mg. (Losec [®])	ก	1.5	
(7) Omeprazole sodium inj. 40 mg. (Losec [®])	ข	55	
(8) Pantoprazole inj. 40 mg	ก	104	E
(9) Ranitidine HCl syr. 10 mg./ml., 60ml. (ยาเตรียมเฉพาะราย)	extemp	78	
(10) Rebamipide tab. 100 mg. (Mucosta [®])	NED	11	RP
(11) Somatostatin acetate inj. 3 mg. (Stilamin [®])	NED	2180	E
(12) Sucralfate tab. 500 mg. (Ulsanic [®])	ก	3.5	
(13) Vonoprazan tab. 20 mg. (Vocinti [®])	ก	103	RP
1.4 Drug use in acute diarrhoea			

(1) Oral rehydration salts powder วัสดุไม่ (ORS)	ก	2.75	
(2) Loperamide. cap. 2 mg. (Imodium [®])	ข	1	
(3) Saccharomyces bulardii powder 250 mg (Bioflor [®])	NED	33	E
1.5 Drug use in bowel disorders			
(1) Mesalazine tab. 1000 mg. (Saloflok [®])	ก	60	
(2) Mesalazine enema 1g./100 ml (Pentasa [®])	ก	191	E
(3) Sulfasalazine tab. 500 mg. (Salazopyrin [®])	ก	3.5	
(4) Vedolizumab inj. 300 mg (Entyvio [®])	NED	36361	E
1.6 Laxatives			
(1) Bisacodyl tab. 5 mg. (Dulcolax [®])	ก	0.5	
(2) Bisacodyl suppos. 10 mg. (Dulcolax [®])	ก	7.25	
(3) Elobixibat tab. 5 mg (Goofice [®])	NED	50	
(4) Ispaghula husk powder 3.5 g/5 g (Mucilin [®] SF)	ก	5.5	
(5) Lactulose syr. 10 g./15 ml., 30 ml., 100 ml. (Duphalac [®])	ข	25/58.5	
(6) Magnesium hydroxide susp. 7.5%, 30 ml., 240 ml.	ก	5.5/25.5	
(7) Monobasic Sod. phosphate+Sod.biphosphate 2.4 g+0.9 g.sol.,45 ml (Xubil [®])	ก	42	
(8) Polyethylene glycol powder 1.7.155 g (Niflec [®])	ก	442	
(9) Sennoside tab. 7.5 mg. (มะขามแขกเม็ด)	ก	1.5	
(10) Sodium chloride 15 g., Nitrofurazone 0.005 g.,Thymol 0.002 g. Propylene glycol 5.00 g., purified water qs. 100 ml., enema (Unison enema [®] , Patar enema [®])	ก	20	
(11) Soft soap enema, 4 L (ยาผลิตในร.พ.)	hosp	247	
(12) Sorbitol 20% oral solution, 60 ml. (ยาผลิตในร.พ.)	hosp	9.25	
1.7 Local preparations for anal and rectal disorders			
(1) Hydrocortisone 7.5 mg,Zn oxide 250mg, Benzocaine 40 mg. suppository.(Doproct [®])	ข	6	
1.8 Drug affecting intestinal secretions			
(1) Pancreatin cap. 40,000 unit (Creon [®])	ง	80	E
(2) Ursodeoxycholic acid cap. 250 mg (Ursolin [®])	ง	10.5	E
2. Cardiovascular drugs			
2.1 Positive inotropic drugs			
(1) Digoxin tab. 0.25 mg. (Lanoxin [®])	ก	1	
(2) Digoxin elixir 0.05 mg./ml., 100 ml. (Lanoxin [®])	ก	213	
(3) Digoxin inj. 0.25 mg./ml., 2 ml. (Lanoxin [®])	ก	43	
2.2 Diuretics			
(1) Amiloride 5 mg. + Hydrochlorothiazide 50 mg. tab. (Moduretic [®])	ข	1	
(2) Furosemide tab. 40 mg. (Lasix [®])	ก	1	
(3) Furosemide tab. 500 mg. (Lasix [®])	ก	2.25	
(4) Furosemide syr. 2 mg./ml.,60 ml. (Lasix [®])(ยาเตรียมเฉพาะราย)	extemp	81	

(5) Furosemide inj. 20 mg./2 ml. (Lasix [®])	ก	6.25	
(6) Furosemide inj. 250 mg./25 ml. (Lasix [®])	ก	31	
(7) Hydrochlorothiazide tab. 25 mg. (Dichlotride [®])	ก	0.5	
(8) Hydrochlorothiazide syr. 10 mg./ml., 60 ml. (ยาฉพาะราย)	extemp	80.5	
(9) Mannitol inj. 20%, 250 ml.	ก	196	
(10) Spironolactone tab. 25 mg. (Aldactone [®])	ก	1.5	
(11) Spironolactone tab. 100 mg. (Aldactone [®])	ก	4.5	
(12) Spironolactone syr. 10 mg./ml., 60 ml. (ยาเตรียมเฉพาะราย)	extemp	115	
2.3 Anti-arrhythmics drugs			
(1) Adenosine inj. 6mg./2 ml. (Adenocor [®])	ก	515	
(2) Amiodarone HCl tab. 200 mg. (Cordarone [®])	ก	7.25	
(3) Amiodarone inj. 50 mg./ml., 3 ml. (Cordarone [®])	ก	112	
(4) Amiodarone syr. 5 mg./ml., 40 ml. (ยาเตรียมเฉพาะราย)	extemp	56.5	
(5) Atropine sulfate inj. 0.6 mg./ ml., 1ml.	ก	3	
(6) Flecainide tab. 100 mg (Tambacor [®])	NED	20.5	E
(7) Ivabradine tab. 5 mg (Coralan [®])	NED	38	R
(8) Lidocaine hydrochloride inj. 1% , 20 ml.	ก	23.5	
(9) Lidocaine hydrochloride inj. 2%, 50 ml.	ก	37	
(10) Magnesium sulfate inj. 10%, 10 ml	ก	8.75	
(11) Magnesium sulfate inj. 50%, 2 ml	ก	8.25	
(12) Verapamil HCL tab. 40 mg (Isoptin [®])	ก	1.5	
(13) Verapamil HCL sustained release tab. 240 mg (Isoptin [®])	ก	14	E
(14) Verapamil HCL syr. 1 mg./ml., 40 ml (ยาเตรียมเฉพาะราย)	extemp	73.5	
2.4 Beta-blocking agents			
(1) Bisoprolol tab. 2.5 mg. (Concor [®])	NED	7.5	E
(2) Carvedilol tab. 12.5 mg. (Dilatrend [®])	ก	6.5	
(3) Labetalol HCl inj. 100 mg/ 20 ml.	ก	1415	
(4) Metoprolol tab. 100 mg.	ก	1.5	
(5) Nebivolol tab. 5 mg. (Nebilet [®])	NED	31	RP
(6) Propranolol hydrochloride tab. 10 mg. (Inderal [®])	ก	1	
(7) Propranolol hydrochloride syr. 1 mg./ml., 120 ml. (ยาฉพาะราย)	extemp	81.5	
2.5 Drug affecting the renin-angiotensin system and some other antihypertensive drugs			
2.5.1 Vasodilator antihypertensive drugs			
(1) Hydralazine hydrochloride tab. 25 mg. (Apresoline [®])	ก	2.25	
(2) Hydralazine hydrochloride syr. 2 mg./ml., 50 ml. (ยาฉพาะราย)	extemp	97	
(3) Hydralazine hydrochloride inj. 20 mg./amp. (Apresoline [®])	ก	276	
2.5.2 Centrally acting antihypertensive drugs			
(1) Methyldopa tab. 250 mg. (Aldomet [®])	ก	2.25	
2.5.3 Alpha-adrenoceptor blocking drugs			
(1) Alfuzosin HCl tab. 10 mg. (Xatral [®] XL)	ก	32	E

(2) Doxazosin mesylate tab 4 mg.	ก	1	
(3) Silodosin tab. 4 mg. (Urief [®])	NED	19	RP
(4) Tamsulosin hydrochloride 0.4 mg (Harnal [®])	NED	15	E
2.5.4 Angiotensin-converting enzyme inhibitors			
(1) Captopril tab. 25 mg. (Capoten [®])	ก	2	
(2) Captopril syr. 1 mg./ml., 50 ml. (Capoten [®]) (ยาเตรียมเฉพาะราย)	extemp	58.5	
(3) Enalapril maleate tab. 5 mg. (Renitec [®] , Enaril [®])	ก	0.5	
(4) Enalapril maleate tab. 20 mg. (Renitec [®] , Enaril [®])	ก	1	
(5) Enalapril syr. 1 mg./ml., 60 ml. (ยาเตรียมเฉพาะราย)	extemp	73	
2.5.5 Angiotensin-II receptor antagonists			
(1) Azilsartan 40 mg. (Edarbi [®])	NED	22	RP
(2) Irbesartan tab. 300 mg. (Aprovel [®])	NED	12.5	E
(3) Losartan potassium tab. 100 mg. (Cozarr [®])	ข	2.75	
(4) Telmisartan tab. 40 mg. (Micardis [®])	NED	17.5	RP
(5) Sacubitril Valsartan tab. 100 mg. (Entresto [®])	NED	92	RP
2.6 Nitrates calcium-channel blockers and other vasodilators			
2.6.1 Nitrates			
(1) Glyceryl trinitrate inj. 50 mg./10 ml.	ก	254	
(2) Isosorbide dinitrate sublingual tab. 5 mg. (Isordil [®])	ก	1.5	
(3) Isosorbide mononitrate tab. 20 mg.	ก	1.5	
2.6.2 Calcium-channel blockers			
(1) Amlodipine besylate tab. 10 mg. (Norvasc [®])	ก	2	
(2) Amlodipine syrup 1 mg./ml., 30 ml. (ยาเตรียมเฉพาะราย)	extemp	41.5	
(3) Lercanidipine tab. 20 mg. (Lercadip [®])	ข	4	E
(4) Manidipine HCl tab. 20 mg. (Madiplot [®])	ข	4	E
(5) Nicardipine inj 2 mg./2 ml. (Cardipine [®])	NED	112	
(6) Nifedipine cap. 5 mg. (Adalat)	NED	1.5	
(7) Verapamil HCl tab. 40 mg. (Isoptin [®])	ก	1.5	
(8) Verapamil HCl sustained release tab. 240 mg (Isoptin [®])	ก	14	E
(9) Verapamil syr. 1 mg./ml., 60 ml. (Isoptin [®]) (ยาเตรียมเฉพาะราย)	extemp	73.5	
2.6.3 Other vasodilators			
(1) Iloprost trometamol inj. 20 mcg./ml; 1ml	NED	1722	E
(2) Minoxidil tab. 5 mg	NED	1	E
(3) Sildenafil citrate syrup. 2 mg/ml, 50ml	Extemp	74.5	E
(4) Sildenafil citrate tab. 20 mg.	ง	37	E
(5) Trimetazidine dihydrochloride sustained release tab. 80 mg. (Vastarel OD)	NED	11.5	R
2.7 Sympathomimetics			
2.7.1 Inotropic sympathomimetics			
(1) Dopamine HCl inj. 50 mg./5 ml.	ก	17	

(2) Dopamine HCl inj. 500 mg./10 ml.	၈	61	
(3) Dobutamine HCl inj. 250 mg./ 5 ml. (Dobutrex [®])	၅	154	
2.7.2 Vasoconstrictor sympathomimetics			
(1) Ephedrine inj. 30 mg./ml., 1 ml.	၈	15	
(2) Norepinephrine inj. 1 mg./ml., 4 ml. (Levophed [®])	၈	235	
2.7.3 Drug use in cardiopulmonary resuscitation			
(1) Epinephrine bitartrate inj. 1 mg./ml., 1 ml.	၈	4.25	
2.8 Anticoagulants			
(1) Apixaban tab. 5 mg (Eliquis [®])	NED	59	RP
(2) Dabigatran cap. 110 mg (Pradaxa [®])	NED	68.5	RP
(3) Edoxaban tab. 60 mg. (Lixiana [®])	NED	115	RP
(4) Enoxaparin inj. 40 mg./0.4 ml. (Clexane [®])	၈	241	
(5) Enoxaparin inj. 60 mg./0.6 ml. (Clexane [®])	၈	399	
(6) Heparin sodium inj. 5000 u./ml., 5 ml.	၈	155	
(7) Warfarin sodium tab. 2 mg. (Coumadin [®])	၈	1.5	
(8) Warfarin sodium tab. 3 mg. (Coumadin [®])	၈	1.75	
(9) Warfarin sodium tab. 5 mg. (Coumadin [®])	၈	2.25	
2.9 Antiplatelet Drugs			
(1) Aspirin tab. 81 mg.	၈	0.5	
(2) Aspirin enteric coated tab. 300 mg. (Aspent [®])	၈	1	
(3) Clopidogrel tab. 75 mg. (Plavix [®])	၃	3.5	
(4) Cilostazol tab. 50 mg. (Pletaal [®])	NED	15	E
(5) Cilostazol Sustained release capsule 100 mg (Pletaal [®] SR)	NED	44.5	RP
(6) Ticagrelor tab. 90 mg (Brilinta [®])	၃	45	E
2.10 Fybrinolytic agent			
(1) Alteplase inj. 50 mg (Actilyse [®])	၃	23013	E
(2) Steptokinase inj. 1.5 MU	၈	9606	E
(3) Tenecteplase inj. 8,000 U (Metalyse [®])	၃	24260	E
2.11 Hemostatics			
(1) Factor VIII (Recombinant) inj. 250 iu./10 ml	၅1	3132	E
(2) Factor VIII (Recombinant) inj. 500 iu./10 ml	၅1	6628	E
(3) Fibrin sealant solution 2 ml (Tisseel [®])	NED	7120	E
(4) Prothrombin complex inj. 600 IU (Prothromplex total [®])	NED		E
(5) Tranexamic acid inj. 50 mg./ml., 5 ml. (Transamin [®])	၈	32	
(6) Tranexamic acid cap. 250 mg. (Transamin [®])	၈	3.5	
2.12 Lipid regulating drugs			
(1) Atorvastatin calcium tab. 40 mg.	၃	7	
(2) Atorvastatin calcium tab. 80 mg.	NED		RP
(3) Ethyl icosapentate soft cap. 900 mg (EPADEL [®] S900)	NED		RP
(4) Evolocumab inj. 140 mg/1 ml. (repatha [®])	NED		RP

(5) Ezetimibe tab. 10 mg. (Ezetrol [®])	NED	19.5	E
(6) Fenofibrate tab. 200 mg. (Lipanthyl [®])	ก	3.25	
(7) Gemfibrozil cap. 300 mg. (Lopid [®])	ก	1	
(8) Nicotinic acid tab. 50 mg.	ก	1.5	
(9) Pitavastatin tab. 4 mg. (Livalo [®])	NED	43	RP
(10) Simvastatin tab. 20 mg. (Zocor [®])	ก	1.75	
2.13 Miscellaneous			
(1) Pentoxifylline tab. 400 mg. (Trental [®])	NED	4.75	
(2) Tolvaptan tab. 15 mg. (Samsca [®])	NED	82	R
(3) Perindopril 5 mg+Indapamide 1.25 mg + Amlodipine 5 mg (Triplixam)	NED	17.5	RP
3. Respiratory system			
3.1 Bronchodilators			
3.1.1 Adrenoceptor agonists			
(1) Procaterol HCl. syr. 5 mcg./ml., 60 ml. (Meptin [®])	ก	41	
(2) Salbutamol sulfate nebulizing solution 2.5 mg./2.5 ml. (Ventolin [®])	ก	14	
(3) Salbutamol metered dose inhaler 100 mcg./dose,200 dose(Aeromol [®])	ก	87	
(4) Terbutaline sulfate inj. 0.5 mg./ml. (Bricanyl [®])	ก	11	
3.1.2 Compound antimuscarinic bronchodilators			
(1) Ipratropium bromide 0.5 mg. + Fenoterol hydrobromide 1.25 mg. Nebule, 4 ml. (Berodual [®] Nebule.)	ก	11	
(2) Ipratropium bromide 0.02 mg. + Fenoterol hydrobromide 0.05 mg. metered dose inhaler 200 puff, 10 ml. (Berodual [®] MDI)	ก	232	
3.1.3 Theophyllines			
(1) Aminophylline inj. 250 mg./10 ml.	ก	7.5	
(2) Aminophylline syr. 10 mg./ml., 60 ml. (ยาเตรียมเฉพาะราย)	extemp	39.5	
(3) Theophylline Controlled released cap. 200 mg. (Theodur [®])	ก	2	
3.2 Corticosteroids and Compound corticosteroids bronchodilators			
(1) Budesonide nebulizer 1 mg./2 ml. (Pulmicort Rspule [®])	ก	52.5	
(2) Budesonide metered dose inhaler 200 µg/dose,200dose (Aeronide [®])	ก	159	
(3) Budesonide160 mcg + Formoterol 4.5 mcg inhaler,120 dose (Symbicort [®])	ก	1118	
(4) Fluticasone propionate evohaler 125 mcg. /dose, 120 dose (Flixotide [®])	ก	282	E
(5) Fluticasone furoate 100 mcg+ Vilanterol 25 mcg , 30 puff (Relvar [®])	NED	853	RP
(6) Fluticasone furoate 100 mcg+Umeclidinium 62.5 mcg+Vilanterol 25 mg dry powder inhalation, 30 puff (Trelegy [®])	NED		RP
(7) Salmeterol 50 mcg +Fluticasone 250 mcg accuhaler, 60 dose (Seretide [®] accuhaler)	ก	577	
(8) Salmeterol 25 mcg +Fluticasone 50 mcg evohaler, 120 dose (Seretide [®] evohaler)	ก	466	E
(9) Salmeterol 25 mcg +Fluticasone 250 mcg evohaler,	ก	700	E

120 dose (Seretide [®] evohaler)	π	700	E
3.3 Leukotriene receptor antagonists			
(1) Montelukast tab. 10 mg.	π	8.75	E
(2) Montelukast granule 4 mg/ጥፀፀፀ (Singulair [®])	π	8.75	E
3.4 Antihistamines			
(1) Bilastine tab. 20 mg (Bilaxtan [®])	NED	16	RP
(2) Cetirizine syr. 5 mg./5 ml (Clarityne [®])	π	15	
(3) Cetirizine tab. 10 mg. (Clarityne [®])	π	1	
(4) Chlorpheniramine maleate tab. 4 mg. (Piriton [®])	π	0.5	
(5) Chlorpheniramine maleate syr. 2 mg./5 ml., 60 ml. (Piriton [®])	π	7.25	
(6) Chlorpheniramine maleate inj. 10 mg./ml., 1 ml. (Piriton [®])	π	3	
(7) Desloratadine tab 5 mg. (Aerious [®])	NED	30	RP
(8) Desloratadine syrup 2.5 mg./5 ml (Aerious [®])	NED	225	RP
(9) Fexofenadine cap. 60 mg. (Telfast [®])	NED	2.75	
(10) Hydroxyzine hydrochloride tab. 10 mg. (Atarax [®])	π	0.5	
(11) Loratadine tab. 10 mg. (Clarityne [®] , Lorita [®])	ጥ	1	
3.5 Pulmonary surfactants			
(1) Beractant inj. 25 mg/ml, 4 ml. (Surventa)	ፈ	11831	E
(2) Poractant alfa inj. 80 mg/mL, 1.5ml	ፈ	11061	E
3.6 Cough preparations			
3.6.1 Cough suppressants			
(1) Codeine phosphate 10 mg.+Glyceryl guaiacolate 100 tab. (Ropect [®])	π	1.75	
(2) Dextromethorphan hydrobromide tab.15 mg. (Romilar [®])	π	1	
(3) Dextromethorphan Hbr. syr. 15 mg./5 ml., 60 ml. (Romilar [®])	π	14	
(4) Opium and glycerhiza mixture compound, 180 ml. (Mist tussis)	π	31	
3.6.2 Expectorant and demulcent cough preparations			
(1) Diphenhydramine HCl. 12.5 mg., Ammonium chloride 125 mg., Sodium citrate 50 mg. in 5 ml. syr., 60 ml. (Benadryl [®] cough syrup)	NED	13	
3.7 Nasal decongestants and antihistamine			
(1) Pseudoephedrine HCl. tab. 60 mg.	π	1.5	
(2) Phenylephrine HCl 10 mg+Brompheniramine 4 mg tab.	NED	1.5	
(3) Phenylephrine HCl 5 mg+Brompheniramine 2 mg in 5 ml syr., 60 ml.	NED	12.5	
3.8 Other Respiratory agents			
(1) Acetylcysteine granule. 200 mg./ጥፀፀፀ	NED	1.75	
(2) Ambroxol tab. 30 mg. (Mucosolvan [®])	NED	0.5	
(3) Ambroxol syr. 30 mg./5 ml., 60 ml. (Mucosolvan [®])	NED	11.5	
(4) Ammonia solution (Aromatic Ammonia spirit) 450 ml.	π	73	
(5) Roflumilast tab. 500 mcg. (Daxas [®])	NED	47	RP
(6) Tiotropium bromide monohydrate inhalation 18 mcg, 30 cap (Spiriva [®])	NED	585	E
(7) Tiotropium bromide 2.5 mcg+Olodaterol 2.5 mcg Respimate [®] , 60 dose (Spiolto [®])	NED	1650	RP

4. Central nervous system			
4.1 Hypnotics and anxiolytics			
(1) Alprazolam tab. 1 mg. (Xanax [®])	NED	1.5	E
(2) Chloral hydrate syr. 500 mg./5 ml., 60 ml. (ยาผลิตในร.พ.)	hosp	33.5	
(3) Clonazepam tab. 0.5 mg.	ช	1	
(4) Clonazepam tab. 2 mg.	ช	1.5	
(5) Diazepam tab. 2 mg. (Valium [®])	ก	0.5	
(6) Diazepam tab. 5 mg. (Valium [®])	ก	0.5	
(7) Diazepam syr. 0.5 mg./ml., 60 ml. (Valium [®]) (ยาเตรียมเฉพาะราย)	extemp	55	
(8) Diazepam inj. 5 mg./ml., 2 ml. (Valium [®])	ก	4.5	
(9) Dipotassium clorazepate cap. 5 mg. (Tranxene [®])	ช	1.5	
(10) Hydroxyzine tab. 10 mg.	ช	0.5	
(11) Lemborexant tab. 5 mg (Dayvigo [®])	NED		RP
(12) Lorazepam tab. 0.5 mg. (Ativan [®])	ก	1	
(13) Lorazepam tab. 1 mg. (Ativan [®])	ก	1	
4.2 Drug use in psychoses and related disorders			
4.2.1 Antipsychotic drugs			
(1) Chlorpromazine tab. 25 mg. (Largactil [®])	ก	1	
(2) Chlorpromazine tab. 100 mg. (Largactil [®])	ก	1	
(3) Clozapine tab. 100 mg.	ค	2.75	
(4) Clozapine tab. 25 mg.	ค	1.75	
(5) Flupentixol decanoate inj. 40 mg./2ml.	ค	220	
(6) Fluphenazine decanoate inj. 25 mg./ml., 1 ml. (Modecate [®])	ก	36.5	
(7) Haloperidol tab. 0.5 mg. (Haldol [®])	ก	0.5	
(8) Haloperidol tab. 2 mg. (Haldol [®])	ก	1	
(9) Haloperidol tab. 5 mg. (Haldol [®])	ก	1.5	
(10) Haloperidol tab. 10 mg. (Haldol [®])	ก	1.5	
(11) Haloperidol inj. 5 mg./ml., 1 ml. (Haldol [®])	ก	11.5	
(12) Haloperidol decanoate inj. 50 mg/ml	ก	73	
(13) Haloperidol solution 2 mg./ml.	ก	37	
(14) Paliperidone extened release tab. 6 mg	NED		RP
(15) Perphenazine tab. 4 mg.	ก	1	
(16) Perphenazine tab. 16 mg.	ก	1.5	
(17) Risperidone solution 1mg/ml, 30 ml	ก	195	
(18) Risperidone tab. 1 mg.	ค	3.0	
(19) Risperidone tab. 2 mg.	ค	4.75	
(20) Trifluoperazine tab. 5 mg. (Stelazine [®])	ก	1	
(21) Thioridazine tab. 25 mg. (Melleril [®])	ค	1.5	
(22) Thioridazine tab. 100 mg. (Melleril [®])	ค	3.25	
4.2.2 Antimanic drugs			

(1) Carbamazepine tab. 200 mg. (Tegretol [®])	ก	1.5	
(2) Carbamazepine syr. 20 mg./ml., 60 ml.(Tegretol [®])(ยาแก้ปวดหัว)	extemp	67	
(3) Lithium carbonate cap. 300 mg	ก	1.75	
(4) Lamotrigine tab. 50 mg	ก	13	E
(5) Quetiapine fumarate tab 25 mg. (Neutapin [®])	NED	19	E
(6) Quetiapine fumarate tab 200 mg (Neutapin [®])	NED	49	E
(7) Sodium valproate immediated release tab. 200 mg. (Depakin [®])	ก	2.25	
(8) Sodium valproate sustained release tab. 500 mg.(Depakin chrono [®])	จ	16	
(9) Sodium valproate oral solution 200 mg./ml., 60 ml. (Depakin [®])	ก	282	
4.3 Antidepressant drug			
(1) Agomelatine tab. 25 mg. (Valdoxan [®])	NED	61	
(2) Amitriptyline hydrochloride tab. 10 mg. (Tryptanol [®])	ก	0.5	
(3) Amitriptyline hydrochloride tab. 25 mg. (Tryptanol [®])	ก	1	
(4) Aripiprazole tab. 5 mg.	NED	45	R
(5) Fluoxetine hydrochloride cap. 20 mg. (Prozac [®] , Fluzac [®])	ก	1.5	
(6) Escitalopram tab. (Lexapro [®])	NED	47	E
(7) Imipramine hydrochloride tab. 10 mg.	ก	1	
(8) Imipramine hydrochloride tab. 25 mg.	ก	1.5	
(9) Nortriptyline hydrochloride tab. 25 mg.	ก	1.5	
(10) Nortriptyline hydrochloride tab. 10 mg.	ก	1	
(11) Mianserin hydrochloride tab. 10 mg.	จ	2.5	
(12) Mirtazapine solutab. 15 mg	NED	32.5	R
(13) Mianserin hydrochloride tab. 30 mg.	จ	6.25	
(14) Sertraline hydrochloride tab. 50 mg. (Zoloft [®])	จ	5.25	
(15) Trazadone tab. 50 mg.	ก	2.25	
(16) Venlafaxine tab. 37.5 mg.	NED	45	R
(17) Vortioxetine tab. 10 mg (Brintellix [®])	NED	57	R
4.4 Central nervous system stimulants			
(1) Methylphenidate tab. 10 mg.	ก	6	
(2) Methylphenidate sustaned release tab. 18 mg.	ก	97	R
(3) Methylphenidate sustaned release tab. 36 mg.	ก	121	R
4.5 Drug used in nausea and vertigo			
4.5.1 Drugs use in nausea and vomiting			
(1) Domperidone maleate tab. 10 mg. (Motilium [®])	ก	1	
(2) Domperidone maleate susp. 5 mg./5 ml., 30 ml. (Motilium [®])	ก	8.25	
(3) Metoclopramide hydrochloride tab. 10 mg. (Plasil [®])	ก	0.5	
(4) Metoclopramide syr. 0.1 mg/ml, 50 ml	extemp	50.5	
(5) Metoclopramide hydrochloride inj. 10mg./2 ml. (Plasil [®])	ก	3.5	
(6) Olanzapine tab. 5 mg	จ	92.5	E
(7) Ondansetron hydrochloride tab. 8 mg. (Onsia [®])	จ	9	

(8) Ondansetron hydrochloride inj. 8 mg /4 ml. (Onsia [®])	๗	26.5	
4.5.2 Drug use in vestibular disorders			
(1) Betahistine mesylate tab. 12 mg. (Betahis [®])	๗	1.5	
(2) Betahistine dihydrochloride tab. 24 mg. (Serc [®])	NED	13.0	RP
(3) Cinnarizine tab. 25 mg. (Stugeron [®])	NED	0.5	
(4) Dimenhydrinate tab. 50 mg. (Dramamine [®])	ก	0.5	
(5) Dimenhydrinate inj. 50 mg./ml., 5 ml. (Dramamine [®])	ก	4	
4.6 Analgesics and antipyretics			
(1) Aspirin tab. 81 mg.	ก	0.5	
(2) Aspirin enteric-coated tab. 300 mg. (Aspent [®])	ก	1	
(3) Ibuprofen tab. 200 mg. (Brufen [®])	ก	1	
(4) Ibuprofen tab. 400 mg. (Brufen [®])	ก	1	
(5) Ibuprofen syr. 100 mg./5 ml., 60 ml. (Brufen [®])	ก	13	
(6) Paracetamol tab. 325 mg.	ก	0.5	
(7) Paracetamol tab. 500 mg.	ก	0.5	
(8) Paracetamol syr. 120 mg./5 ml., 60 ml.	ก	10.5	
(9) Paracetamol suppository tab. 125 mg	NED	7.75	
(10) Paracetamol infusion 1,000 mg (Infulgan [®])	NED	133	E

4.7 Analgesics			
4.7.1 Opioid analgesics			
(1) Fentanyl citrate inj. 50 mcg./ml., 2 ml.	ก	25	
(2) Fentanyl transdermal patch 25 mcg/hour	ก	149	
(3) Fentanyl transdermal patch 50 mcg/hour	ก	218	
(4) Morphine sulphate Immediated release tab. 10 mg.	ก	1.5	
(5) Morphine sulphate sustained release tab. 10 mg.	ก	16.5	
(6) Morphine sulphate sustained release cap. 20 mg. (Kapanol [®])	ก	33	
(7) Morphine sulfate sustained release tab. 30 mg.	ก	33	
(8) Morphine sulfate syr. 2 mg./ml., 60 ml.	ก	61	
(9) Morphine sulfate inj. 10 mg./ml., 1 ml.	ก	7.75	
(10) Methadone HCl. Tab. 5 mg	ก		
(11) Methadone HCl. Solution 10mg/ml, 1000 ml (เฉพาะงานผลิตภัณฑ์)	ก	586	
(12) Pethidine hydrochloride inj. 50 mg./ml., 1 ml.	ก	7.75	
(13) Tramadol hydrochloride cap. 50 mg. (Tramol [®])	ก	1	
(14) Tramadol HCl. inj. 50 mg./ml ; 1 ml	ก	5.75	
(15) Tramadol 375 mg.+ Paracetamol 325 mg. tab. (Ultracet [®])	NED	6.5	E
4.7.2 Drugs for neuropathic pain			
(1) Amitriptyline hydrochloride tab. 10 mg. (Tryptanol [®])	ก	0.5	
(2) Amitriptyline hydrochloride tab. 25 mg. (Tryptanol [®])	ก	1	
(3) Carbamazepine tab. 200 mg. (Tegretol [®])	ก	1.5	

(4) Gabapentin cap. 100 mg. (Neurontin [®])	↓	3.5	
(5) Gabapentin cap. 400 mg. (Neurontin [®])	↓	5.5	
(6) Nortriptyline hydrochloride tab. 10 mg.	ก	1	
(7) Nortriptyline hydrochloride tab. 25 mg.	ก	1.5	
(8) Pregabalin cap. 75 mg. (Lyrica [®])	NED	52.5	E
4.7.3 Antimigraine drugs			
4.7.3.1 Drugs for acute migraine attack			
(1) Aspirin tab. 81 mg.	ก	0.5	
(2) Aspirin enteric-coated tab. 300 mg. (Aspent [®])	ก	1	
(3) Ergotamine tartrate 1 mg.+ Caffeine 100 mg. tab. (Cafergot [®])	ก	2.25	
(4) Ibuprofen tab. 200 mg. (Brufen [®])	ก	1	
(5) Ibuprofen tab. 400 mg. (Brufen [®])	ก	1	
(6) Paracetamol tab. 325 mg.	ก	0.5	
(7) Paracetamol tab. 500 mg.	ก	0.5	
4.7.3.2 Drugs used in the prophylaxis of migraine			
(1) Amitriptyline hydrochloride tab. 10 mg. (Tryptanol [®])	ก	0.5	
(2) Amitriptyline hydrochloride tab. 25 mg. (Tryptanol [®])	ก	1	
(3) Cyproheptadine HCl tab. 4 mg. (Periactin [®])	ข	0.5	
(4) Flunarizine cap. 5 mg. (Sibelium [®])	NED	1.5	
(5) Propranolol hydrochloride tab. 10 mg. (Inderal [®])	ก	1	
(6) Propranolol hydrochloride syr. 1 mg./ml., 120 ml.(ยาฉีดเฉพาะราย)	extemp	81.5	
(7) Sodium valproate immediated release tab. 200 mg. (Depakin [®])	ก	2.25	
(8) Sodium valproate sustained release tab. 500 mg. (Depakin chrono [®])	ข	16	
(9) Topiramate tab. 50 mg (Topamax [®])	↓	19	E
4.8 Antiepileptics			
4.8.1 Drugs used in the control of epilepsy			
(1) Carbamazepine tab. 200 mg. (Tegretol [®])	ก	1.5	
(2) Carbamazepine syr. 20 mg./ml., 60 ml.(ยาเตรียมเฉพาะราย)	extemp	67	
(3) Clonazepam tab. 0.5 mg. (Rivotril [®])	ข	1	
(4) Clonazepam tab. 2 mg. (Rivotril [®])	ข	1.5	
(5) Clonazepam suspension 0.1 mg./ml. (ยาเตรียมเฉพาะราย)	extemp	55	
(6) Lacosamide tab. 100 mg (Vimpat [®])	NED	108	RP
(7) Levetiracetam tab. 500 mg.	↓	43.5	E
(8) Levetiracetam inj. 100 mg/1 ml, 5 ml.	↓	688	E
(9) Perampanel tab. 4 mg. (Fycompa [®])	NED	104	RP
(10) Phenobarbital elixir 4mg/ml. 60 ml.	NED	37	
(11) Phenobarbital tab. 60 mg.	ก	0.5	
(12) Phenobarbital inj. 200 mg/ml, 1 ml	ก	129	
(13) Phenytoin sodium cap. 100 mg. (Dilantin [®])	ก	1	
(14) Phenytoin sodium tab. 50 mg. (Dilantin [®])	ก	4	

(15) Phenytoin syr. 10 mg./ml., 60 ml. (Dilantin [®]) (ยาเตรียมเฉพาะราย)	extemp	140	
(16) Phenytoin sodium inj. 50 mg./ml., 5 ml. (Dilantin [®])	ก	223	
(17) Sodium valproate tab. 200 mg. (Depakin [®])	ก	2.25	
(18) Sodium valproate oral solution 200 mg./ml., 60 ml. (Depakin [®])	ก	282	
(19) Sodium valproate sustained release tab.500 mg.(Depakin chrono [®])	ข	16	
(20) Sodium valproate inj. 400 mg. (Depakin [®])	ค	414	
(21) Topiramate tab. 50 mg (Topamax [®])	ง	14	E
4.8.2 Drugs used in status epilepticus			
(1) Diazepam inj. 5 mg./ml., 2 ml. (Valium [®])	ก	4.5	
(2) Midazolam inj. 5 mg./ml. (Dormicum [®])	ก	19	
(3) Phenytoin sodium inj. 50 mg./ml., 5 ml. (Dilantin [®])	ก	233	
(4) Sodium valproate inj. 400 mg., 4 ml.	ค	414	
4.9 Drugs used in movement disorders			
(1) Bromocriptine tab. 2.5 mg. (Bromergon [®])	ค	8.25	
(2) Baclofen tab. 10 mg. (Lioresal [®])	ข	1.5	
(3) Baclofen Syr., 2 mg/ml., 30 ml (Lioresal [®]) (ยาเตรียมเฉพาะราย)	extemp	60	
(4) Clonazepam tab. 2 mg. (Rivotril [®])	ข	1.5	
(5) Clonazepam suspension 0.1 mg./ml., 60 ml (ยาเตรียมเฉพาะราย)	extemp	55	
(6) Clostridium Botulinum type A inj. 500 u	จ2	15,362	R
(7) Diazepam tab. 2 mg. (Valium [®])	ก	0.5	
(8) Diazepam tab. 5 mg. (Valium [®])	ก	0.5	
(9) Diazepam syr. 0.5 mg/ml., 60 ml.(Valium [®]) (ยาเตรียมเฉพาะราย)	extemp	55	
(10) Donepezil HCl. Tab. 10 mg.	จ2	22.5	E
(11) Donepezil HCl. Orodispersible tab. 10 mg. (Aricept [®])	NED	78	RP
(12) Donepezil HCl. Tab. 23 mg. (Aricept [®])	NED	146	RP
(13) Entacapone tab. 200 mg (Comtan [®])	ง	46	E
(14) Levodopa 250 mg. + Carbidopa 25 mg. tab. (Sinemet [®])	ก	5.25	
(15) Levodopa 200 mg+carbidopa 50 mg +entacapone 200 mg tab. (stalevo [®])	NED		RP
(16) Levodopa 10 mg. + Carbidopa 1 mg. syr.,25 ml (ยาเฉพาะราย)	extemp	42.5	
(17) Levodopar 200 mg +Benserazide HCl 50 mg tab.	ข	11	
(18) Pramipexole tab. 0.375 mg (Sifrol [®])	NED	40	RP
(19) Propranolol hydrochloride tab. 10 mg. (Inderal [®])	ก	1	
(20) Propranolol hydrochloride syr. 1 mg./ml., 120 ml. (ยาเฉพาะราย)	extemp	81.5	
(21) Rivastigmine patch 4.6 mg/24hr, 5 cm ² (Exelon [®] patch)	NED	161	RP
(22) Rivastigmine patch 9.5 mg/24hr, 10 cm ² (Exelon [®] patch)	NED	161	RP
(22) Rivastigmine patch 13.3 mg/24hr, 15 cm ² (Exelon [®] patch)	NED	161	RP
(23) Ropinirole prolong release tab. 2 mg (Requip [®])	ง	20.5	E
(24) Rotigotine transdermal patch 4 mg/24 hr transdermal patch (Neupro [®])	NED	211	RP
(25) Safinamide tab. 50 mg (Equifina [®])	NED		RP
(26) Trihexyphenidyl hydrochloride tab. 2 mg. (Artane [®])	ก	1	

(27) Trihexyphenidyl hydrochloride tab. 5 mg. (Artane [®])	၈	1	
4.10 Drugs used in substance dependence			
4.10.1 Drugs used in smoking cessation			
(1) Brupropion tab. 150 mg	NED		SP
(2) Nortriptylline tab. 10 mg.	၈	1	
(3) Nortriptylline tab. 25 mg.	၈	1.5	
4.10.2 Drugs used in opioid dependence			
(1) Methadone HCl. Tab. 5 mg	၈		
(2) Methadone HCl. Solution 10mg/ml, 1000 ml	၈	585	
5. Infections			
5.1 Antibacterial drugs			
5.1.1 Penicillins			
(1) Amoxicillin cap. 250 mg. (Amoxil-Bencard [®] , Amoxil [®])	၈	1.5	
(2) Amoxicillin cap. 500 mg. (Amoxil-Bencard [®] , Amoxil [®])	၈	2	
(3) Amoxicillin syr. 125 mg./5 ml. (Amoxil-Bencard [®] , Amoxil [®])	၈	13	
(4) Ampicillin sodium inj. 500 mg. (Ampicin [®])	၈	10.5	
(5) Ampicillin sodium inj. 1 g. (Ampicin [®])	၈	13	
(6) Amoxicillin 875 mg. + Clavulanate 125 mg. tab. (Augmentin [®])	၈	7.5	
(7) Amoxicillin 400 mg. + Clavulanate 57 mg./5 ml.syr., 60 ml.	၈	132	
(8) Amoxicillin + Clavulanate potassium inj. 1200 mg. (Augmentin [®])	၃	37	
(9) Ampicillin sodium+Sulbactam inj. 3 g. (Unasyn [®])	၃	195	
(10) Benzathine benzylpenicillin inj. 1.2 mu.	၈	45.5	
(11) Cloxacillin sodium inj. 1 g. (Cloxil [®])	၈	15.5	
(12) Dicloxacillin sodium cap. 250 mg.	၈	1.5	
(13) Dicloxacillin sodium cap. 500 mg.	၈	2.25	
(14) Dicloxacillin sodium syr. 125 mg./5 ml., 60 ml.	၈	22.5	
(15) Penicillin G. sodium inj. 5 mu.	၈	15	
(16) Phenoxymethylpenicillin tab. 250 mg. (Pen V [®])	၈	1.5	
(17) Phenoxymethylpenicillin syr. 125 mg./5 ml., 60 ml. (Pen V [®])	၈	12.5	
(18) Piperacillin Na. 4 g. + Tazobactam Na. 0.5 g. inj. (Tazocin [®])	၃	149	E
5.1.2 Cephalosporins, cephamycins, and other beta-lactams			
(1) Cefazolin sodium inj. 1 g.	၈	17.5	
(2) Cephalexin cap. 500 mg. (Ibilex [®])	၈	3.25	
(3) Cefuroxime axetil tab. 500 mg. (Zinnat [®])	၈	17.5	
(4) Cefotaxime sodium inj. 1 g. (Claforan [®])	၈	21.5	
(5) Ceftazidime inj. 1 g. (Cef-4 [®] , Fortum [®])	၈	45	
(6) Ceftazidime 2 g+ Avibactam 0.5 g inj. (Zavicefta [®])	၁၂	3595	DUE
(7) Ceftriaxone sodium inj. 1 g. (Cef-3 [®])	၈	15.5	
(8) Cefoperazone 500 mg.+Sulbactam 500 mg. inj.(Sulperazon 1g [®])	၃	47	E
(9) Cefoxitin inj. 1 g. (Cefxitin [®])	၃	100	

(10) Cefixime cap. 100 mg.	↓	13.5	
(11) Cefdinir suspension 125 mg./5 ml., 30 ml. (Omnicef [®])	NED	196	
(12) Cefditoren tab. 200 mg (MEIACT [®])	NED		R
(13) Cefepime HCl inj. 1 g. (Maxipime [®] , Sefpime [®])	NED	189	E
(14) Ertapenem inj. 1 g. (Invanz [®])	↓	1143	DUE
(15) Imipenem 500 mg. + Cilastatin 500 mg. Na. inj. (Tienam [®])	↓	266	DUE
(16) Meropenem inj. 1 g. (Meronem [®])	↓	159	DUE
5.1.3 Tetracyclines			
(1) Doxycycline hydrochloride cap. 100 mg. (Vibramycin [®])	ก	1.5	
(2) Doxycycline syr. 10 mg./ml., 60 ml. (Vibramycin [®]) (ยาฉีดพาราเซตา)	extemp	57	
(3) Oxytetracycline inj. 500 mg./10 ml.	NED	15.5	E
(4) Oxytetracycline inj. 500 mg. in NSS 50 ml. (ยาฉีดพาราเซตา)	extemp	109	
(5) Oxytetracycline inj. 1000 mg. in NSS 50 ml. (ยาฉีดพาราเซตา)	extemp	111	
(6) Tigecycline inj. 50 mg (Tigacil [®])	NED	2368	E
5.1.4 Aminoglycosides			
(1) Amikacin inj. 500 mg./2 ml. (Amikin [®])	ข,ก	39.5	
(2) Gentamicin sulfate inj. 20 mg./2 ml. (Grammicin [®])	ก	5.5	
(3) Gentamicin sulfate inj. 80 mg./2 ml. (Grammicin [®])	ก	7	
5.1.5 Macrolides			
(1) Azithromycin inj. 500 mg./vial (Zithromax [®])	↓	700	E
(2) Azithromycin susp. 200 mg/5 ml., 60 ml	↓	97.5	E
(3) Azithromycin cap. 250 mg.	↓	17	E
(4) Clarithromycin tab. 500 mg. (Klacid [®])	↓	16	
(5) Erythromycin stearate tab./cap. 250 mg.	NED	2	
(6) Erythromycin estolate syr. 125 mg./5 ml., 60 ml.	ก	20	
(7) Roxithromycin tab. 150 mg. (Rulid [®])	ก	1.5	
5.1.6 Quinolones			
(1) Ciprofloxacin hydrochloride tab. 500 mg. (Ciprobay [®])	↓	1.75	
(2) Ciprofloxacin syr. 50 mg./ml., 60 ml. (ยาฉีดพาราเซตา)	extemp	64	
(3) Ciprofloxacin lactate inj. 200 mg./100 ml. (Ciprobay [®])	↓	31	
(4) Levofloxacin tab. 500 mg	↓	24	E
(5) Levofloxacin inj. 750 mg/150 ml	↓	356	E
(6) Norfloxacin tab. 400 mg. (Lexinor [®])	ก	1.5	
(7) Sitafloxacin tab. 50 mg. (Gracevit [®])	NED	134	E
5.1.7 Other antibacterials			
(1) Clindamycin hydrochloride cap. 300 mg. (Dalacin C [®])	ข	2.25	
(2) Clindamycin phosphate inj. 150 mg./ml., 4 ml. (Dalacin C [®])	ข	31	
(3) Clindamycin syr. 20 mg./ml., 60 ml (ยาฉีดพาราเซตา)	extemp	73.5	
(4) Colistimethate sodium inj. eq. to Colistin 150 mg./ml. (Colistate [®])	↓	250	E
(5) Fosfomycin sodium inj. 2 g.	↓	294	

(6) Metronidazole tab. 400 mg. (Flagyl [®])	ก	1.5	
(7) Metronidazole inj. 0.5%, 100 ml. (Flagyl [®])	ก	22	
(8) Metronidazole susp. 20 mg./ml., 60 ml. (ยาเตรียมเฉพาะราย)	extemp	70.5	
(9) Sodium fusidate tab. 250 mg. (Fucidin [®])	ง	68.5	
(10) Sulbactam inj. 500 mg	NED	196	E
(11) Vancomycin inj. 1 g. (Ecidin [®])	ง	183	E
(12) Vancomycin cap. 125 mg	NED		E
5.1.8 Sulfonamides and trimethoprim			
(1) Sulfamethoxazole + Trimethoprim tab. 480 mg. (Bactrim [®])	ก	1.5	
(2) Sulfamethoxazole + Trimethoprim inj. 480 mg./5 ml. (Bactrim [®])	ก	33.5	
(3) Sulfamethoxazole + Trimethoprim susp. 240 mg./5 ml., 60 ml.	ก	12	
5.1.9 Antituberculous drugs			
(1) Amikacin inj. 500 mg./ 2 ml. (Amikin [®])	ค	30	
(2) Cycloserine tab. 250 mg.	ค	52.5	
(3) Ethambutol hydrochloride tab. 400 mg.	ก	2	
(4) Ethambutol hydrochloride tab. 500 mg.	ก	2.5	
(5) Ethambutol hydrochloride 50 mg./ml., 32 ml. (ยาเตรียมเฉพาะราย)	extemp	68.5	
(6) Etionamide tab. 250 mg.	ค	18	
(7) Isoniazid tab. 100 mg	ก	0.5	
(8) Isoniazid syr. 10 mg./ml., 60 ml. (ยาเตรียมเฉพาะราย)	extemp	54.5	
(9) Pyrazinamide tab. 500 mg	ก	2.25	
(10) Pyrazinamide syr. 100 mg./ ml., 30 ml. (ยาเตรียมเฉพาะราย)	extemp	69.5	
(11) Rifampicin cap. 300 mg.	ก	4	
(12) Rifampicin cap. 450 mg.	ก	5.25	
(13) Rifampicin syr. 50 mg./ml., 30 ml. (ยาเตรียมเฉพาะราย)	extemp	77	
5.1.10 Antileprotic drugs			
(1) Dapsone tab. 100 mg.	ก	3.75	
(2) Dapsone syr. 5 mg./ml., 20 ml. (ยาเตรียมเฉพาะราย)	extemp	42.5	
5.2 Antifungal drugs			
(1) Amphotericin B. inj. 50 mg. (Fungizone [®])	ค	184	
(2) Fluconazole cap. 200 mg. (Diflucan [®])	ก	7.25	
(3) Fluconazole 10 mg./ml., 60 ml. (Diflucan [®]) (ยาเตรียมเฉพาะราย)	extemp	66	
(4) Fluconazole inj 100 mg./50 ml	ค	220	
(5) Flucytosine cap. 500 mg.	ง	10.5	E
(6) Griseofulvin tab. 500 mg.	ก	3.75	
(7) Itraconazole cap. 100 mg. (Sporal [®])	ค	7	
(8) Itraconazole oral solution 10 mg./ml., 10 ml. (ยาเตรียมเฉพาะราย)	extemp	58	
(9) Ketoconazole tab. 200 mg	ง	2.25	
(10) Nystatin susp. 100,000 u./ml., 12 ml. (Mycostatin [®])	ก	37	

(11) Voriconazole tab. 200 mg. (Vfend [®])	จ2	1591	E
5.3 Antiviral drugs			
5.3.1 Non-antiretrovirals			
(1) Acyclovir tab. 200 mg. (Zovirax [®])	ก	2.25	
(2) Acyclovir tab. 800 mg. (Zovirax [®])	ก	5.25	
(3) Acyclovir inj. 500 mg. (Zovirax [®])	ค	414	
(4) Acyclovir syrup 20 mg./ml, 60 ml. (Zovirax [®]) (ยาเตรียมเฉพาะราย)	extemp	52	
(5) Favipiravir tab. 200 mg	NED		
(6) Ganciclovir inj. 500 mg	ง	1736	
(7) Lamivudine (3TC) tab. 150 mg. (Zeffix [®] , Lamivir [®])	ก	4.75	
(8) Molnupiravir cap 200 mg			
(9) Oseltamivir phosphate cap. 75 mg. (Tamiflu [®])	จ1	31	
(10) Oseltamivir phosphate 12 mg./ml., 31.25 ml. (ยาเตรียมเฉพาะราย)	extemp	193	
(11) Oseltamivir phosphate 12 mg./ml., 56.25 ml. (ยาเตรียมเฉพาะราย)	extemp	341	
(12) Remdisevir inj. 100 mg	NED		
5.3.2 Antiretrovirals			
(1) Darunavir tab 600 mg	จ2	152	E
(2) Dolutegravir tab. 50 mg	จ2	28	E
(3) Dolutegravir 50 mg+Emtricitabine 200 mg+Tenofovir alafenamide 25 mg tab.	NED	40.5	E
(4) Efavirenz cap. 200 mg. (Stocrin [®])	ก	5.25	
(5) Efavirenz tab. 600 mg. (Stocrin [®])	ก	7.75	
(6) Lamivudine tab. 150 mg. (Zeffix [®] , Lamivir [®])	ก	4.75	
(7) Lamivudine syrup 10 mg./ml., 60 ml. (Zeffix [®] , Lamivir [®])	ก	73	
(8) Lopinavir 200 mg. + Ritonavir 50 mg. cap. (Kaletra [®])	ค	17	
(9) Lopinavir 80 mg. + Ritonavir 20 mg./ml., syr. 160 ml. (Kaletra [®])	จ1	3898	
(10) Nevirapine mesilate susp. 10 mg./ml., 60 ml. (Neravir [®])	ก	79	
(11) Tenofovir disoproxil fumarate tab. 300 mg.	ก	15.5	
(12) Tenofovir 300 mg + Lamivudine 300 mg + Dolutegravir 50 mg (Acriptiga [®])	ก	40	
(13) Zidovudine (AZT) cap. 100 mg. (Retrovir [®])	จ1	3.5	
(14) Zidovudine (AZT) cap. 300 mg. (Retrovir [®])	จ1	11.5	
(15) Zidovudine syr. 10 mg./ml., 60 ml. (Retrovir [®])	จ1	61.5	
(16) Zidovudine 300 mg.+Lamivudine 150 mg. tab.	ก	20.5	
5.3.3 Viral hepatitis			
(1) Entecavir monohydrate tab. 0.5 mg	ง	43.5	
(2) Lamivudine (3TC) tab. 150 mg. (Zeffix [®] , Lamivir [®])	ง	4.75	
(3) Ledipasvir 90 mg + Sofosbuvir 400 mg	จ2	241	E
(4) Tenofovir alafenamide tab. 25 mg.	ง	11.5	E
(5) Tenofovir disoproxil fumarate tab. 300 mg.	ง	15.5	
5.4 Antiprotozoal drugs			
5.4.1 Antimalarials			

(1) Artesunate inj. 60 mg./vial	ก	156	
(2) Artesunate 60 mg+ Pyronalidine 180 mg (Pyramax [®])	NED	9	
(3) Chloroquine phosphate tab. 250 mg. (EQ 150 mg. Chloroquine)	ก	1	
(4) Primaquine diphosphate tab. 15 mg.	ก	1.5	
(5) Primaquine syr. 1 mg./ml., 120 ml. (ยาเตรียมเฉพาะราย)	extemp	79.5	
5.4.2 Other antiprotozoal drugs			
(1) Metronidazole tab. 400 mg. (Flagyl [®])	ก	1	
(2) Metronidazole susp. 20 mg./ml., 60 ml. (ยาเตรียมเฉพาะราย)	extemp	70.5	
(3) Metronidazole inj. 0.5%, 100 ml. (Flagyl [®])	ก	22	
5.5 Anthelmintics			
(1) Albendazole tab. 200 mg. (Zentel [®])	ก	2.5	
(2) Albendazole syr. 100 mg./5 ml., 20 ml.	ก	14	
(3) Ivermectin tab. 6 mg	ข	97	
(4) Praziquantel tab. 600 mg. (Praqantel [®])	ก	7.75	
5.6 Antiseptics and disinfectants			
(1) Acetic acid 0.25%, 4 L (ยาผลิตในร.พ.)	hosp	89.5	
(2) Alcohol hand rub 70%, 500 ml น้ำยาล้างมือแรงด่วน (ยาผลิต)	hosp	80	
(3) Alcohol solution 70%, 60 ml., 4 L (ยาผลิตในร.พ.)	hosp	6.25/278	
(4) Chlorhexidine gluconate 1% + ethyl alcohol 61%, 500 ml	NED	1070	
(5) Chlorhexidine gluconate solution 4% (Scrub) 30 ml., 500 ml., 5 L (Hibiscrub [®])	ก	10/89/816	
(6) Chlorhexidine gluconate solution 5%, 5 L (Hibitane [®])	ก	872	
(7) Chlorhexidine gluconate solution 5%1:10 in alc.70% ,4 L	hosp	193	
(8) Chlorhexidine gluconate solution 5%1:10 in water, 4 L	hosp	117	
(9) Chlorhexidine gluconate solution 5%1:100 in water, 4 L	hosp	42	
(10) Chlorhexidine gluconate solution 5% prepack 11 ml., 110 ml.	hosp	14/32	
(11) Formaldehyde solution, 450 ml.	ก	39.5	
(12) Gentian violet paint, 30 ml.	ก	9.75	
(13) Glutaraldehyde solution 2% , 5 L (Cidex [®])	NED	529	
(14) Hydrogen peroxide solution (5-7 % W/V) , 450 ml.	ก	32	
(15) Phenol in water solution 5%, 2 ml	ง	15.5	
(16) Povidone iodine solution 7.5% (scrub), 60 ml., 500 ml., 5 L.	ก	17.5/108	
(17) Povidone iodine solution 10%,60 ml., 500 ml., 4.5 L(Betadine [®])	ก	16/103	
(18) Sodium hypochloride 0.5% solution, 450 ml. (Dakin [®])	NED	304	
(19) Tincture iodine 2.5%, 60 ml., 480 ml. (ยาผลิตในร.พ.)	hosp	26.5/182	
(20) เจลล้างมือไม่ใช้น้ำ 35 ml. (ยาผลิตในร.พ.)	hosp	40	
(21) สบู่เหลวล้างมือ, 4 L (ยาผลิตในร.พ.)	hosp	22	
6. Endocrine system			
6.1 Drugs used in diabetes			
6.1.1 Insulins			
(1) Insulin human (isophane) inj. 100 iu./ml., penfilled 3 ml.	ก	117	

(Insuman basal [®])			
(2) Insulin regular inj. 100 iu./ml., 10 ml. (Actrapid [®] , Humulin R [®])	ก	134	
(3) Soluble insulin+ Isophane insulin 30:70 inj.100 iu./ml., penfilled 3 ml. (Mixtard [®] 30 HM)	ก	109	
(4) Soluble insulin+ Isophane insulin 30:70 inj. 100 iu./ml.,10 ml.(Humulin [®] 70/30)	ก	79	
(5) Insulin glargine inj.300 iu./ml., penfilled 1.5 ml. (Tougeo [®])	จ	653	E
(6) Insulin aspart 30% + Protamine insulin 70% Penfill, 100 iu/ ml, 3 ml. (Novomix30 [®])	จ	363.8	E
(7) Insulin aspart Penfill, 100 iu/1ml, 3 ml. (Novorapid [®])	จ	429	E
(8) Insulin degludec 100 u+Liraglutide 3.6 mg/ml penfill 3 ml. (Xultophy [®])	NED	2060	RP
6.1.2 Oral antidiabetic drugs			
(1) Alogliptin 25 mg+Pioglitazone 30 mg (Oseni [®])	NED	55	RP
(2) Canaglifozin tab. 100 mg (Invokana [®])	NED	55	RP
(3) Dapaglifozin tab. 10 mg (Forxiga [®])	NED	55	RP
(4) Empaglifozin tab. 10 mg (Jardiance [®])	NED	55	RP
(5) Gemigliptin tab. 50 mg (Zemiglo [®])	NED	27	RP
(6) Glipizide tab. 5 mg. (Minidiab [®] , Dipizide [®])	ก	0.5	
(7) Metformin tab. 500 mg. (Glucophage [®])	ก	1	
(8) Pioglitazone tab. 30 mg. (Actos [®] , Utmos [®])	จ	1.75	
(9) Vildagliptin 50 mg +Metformin 1,000 mg tab.	NED	27	RP
6.2 Thyroid and antithyroid drugs			
6.2.1 Thyroid hormones			
(1) Thyroxine sodium (L-form) tab. 0.1 mg. (Elthroxin [®])	ก	1	
(2) Thyroxine sodium (L-form) syr. 25 mcg./ml., 32 ml. (ยาเตรียมเฉพาะราย) (Elthroxin [®])	extemp	85.5	
6.2.2 Antithyroid drugs			
(1) Methimazole tab. 5 mg. (Tapazole [®])	ก	1.5	
(2) Propylthiouracil tab. 50 mg.	ก	1	
(3) Strong iodine solution, 60 ml. (ยาผลิตในร.พ.) (Lugol [®] solution)	hosp	138	
6.3 Corticosteroids			
(1) Dexamethasone tab. 0.5 mg.	ก	0.5	
(2) Dexamethasone tab. 4 mg.	ก	2	
(3) Dexamethasone inj. 4 mg./ml., 1 ml.	ก	4	
(4) Hydrocortisone inj. 100 mg. (Solu-Cortef [®])	ก	47	
(5) Prednisolone tab. 5 mg.	ก	1	
(6) Prednisolone syr. 1 mg./ml, 60 ml. (ยาเตรียมเฉพาะราย)	extemp	54	
(7) Methylprednisolone sodium succinate inj. 250 mg. (Solu-Medrol [®])	ก	474	
(8) Methylprednisolone sodium succinate inj. 1 g. (Solu-Medrol [®])	ก	2806	
(9) Triamcinolone acetonide inj. 10 mg./ml, 5 ml. (Kenacort [®])	NED	18.5	
(10) Triamcinolone acetonide inj. 40 mg./ml, 5 ml. (Kenacort [®])	NED	73	

6.4 Sex hormones			
6.4.1 Female sex hormones			
(1) Conjugated estrogen tab. 0.625 mg. (Pre marin [®])	∩	4.25	
(2) Dienogest tab. 2 mg (Visane [®])	NED	77	R
(3) Etonogestrel implant 68 mg/rod	∩	2180	
(4) Estradiol (17 beta) gel 0.06% (Oestrogel [®])	∩	263	E
(4) Estradiol valerate 2mg.+Norgestrel 0.5mg. tab.(Cyclo-Progynova [®])	NED	183	E
(5) Estradiol 0.03 mg+ Lactobacillus 100 million viable tab. (Gynoflor [®])	NED	76	E
(6) Hydroxyprogesterone inj. 250 mg./ml.,1 ml. (Proluton [®] depot)	∩	130	
(7) Medroxyprogesterone acetate tab. 10 mg. (Provera [®])	∩	17.5	
(8) Micronized progesterone tab. 200 mg (Utrogestan [®])	∩	30	E
(9) Norethisterone tab. 5 mg. (Primolute-N [®])	∩	5	
6.4.2 Male sex hormones and antagonist			
(1) Bicalutamide tab. 50 mg	∩	43.5	E
6.5 Hypothalamic and pituitary hormones			
6.5.1 Posteria pituitary hormones and antagonist			
(1) Desmopressin acetate tab. 0.1 mg (DDAVA)	∩	78	E
(2) Dressmopressin Inj. 4 mg (Minirin [®])	∩	331	E
6.6 Drug affecting bone metabolism			
(1) Alendronic acid tab. 70 mg. (Alden [®])	NED	96	E
(2) Alendronate tab.75 mg. + Colecalciferol 5,600 iu (Fosamax plus [®])	NED	360	RP
(3) Calcitonin salmon inj. 50 iu./ml., 1 ml. (Miacalcic [®])	∩	227	
(4) Denosumab inj. 60 mg/ml (Prolia [®])	NED	12,115	RP
(5) Ibandronate Sodium inj. 3mg/3ml (Ostex [®])	NED	3357	RP
(6) Teriparatide inj. 600mcg/2.4ml (Forteo [®])	NED	16,245	RP
(7) Zoledronic acid inj. 4 mg/5 ml	NED	2,000	RP
6.7 Other endocrine drugs			
6.7.1 Bromocriptine and other dopaminergic drugs			
(1) Bromocriptine methanesulphonate tab. 2.5 mg. (Bromergon [®])	∩	8.25	
(2) Semaglutide tab. 7 mg. (Rybelsus [®])	NED		
7. Obstetrics, gynaecology, and urinary tract disorder			
7.1 Drugs used in obstetrics			
7.1.1 Prostaglandins, postaglandin antagonist and oxytocics			
(1) Alprostadil inj. 0.5 mg/ml; 1 ml	∩	6323	
(2) Cabotocin 100 mcg/ml	NED		E
(3) Methylergometrine maleate inj. 0.2 mg./ml. (Methergin [®])	∩	8.5	
(4) Oxytocin inj. 10 u./ml., 1 ml.	∩	15.5	
7.1.2 Myometrial relaxants			
(1) Terbutaline sulfate inj. 0.5 mg./ml. (Bricanyl [®])	∩	11	
7.2 Treatment of vaginal and vulval condition			

(1) Clotrimazole vaginal tab. 100 mg. (Canesten [®])	ଠ	2	
(2) Nystatin 100,000 iu., Dihydroxyquin 100 mg., Benzalkonium chloride 7 mg. vaginal tab. (Gynecon [®])	ଠ	2	
7.3 Contraceptives			
(1) Ethinylestradiol 30 mcg. + Levonorgestrel 150 mcg. tab. (Arden [®])	ଠ	9	
(2) Medroxyprogesterone acetate inj. 150 mg./3 ml.	ଠ	12	
7.4 Drugs for genito-urinary disorders			
7.4.1 Drugs for benign prostatic hyperplasia			
(1) Alfuzosin HCl tab. 10 mg. (Xatral [®] XL)	ଠ	32	E
(2) Doxazosin mesylate tab. 4 mg.	ଠ	1	
(3) Finasteride tab. 5 mg. (Proscar [®])	∩	5	
(4) Silodosin 4 mg (Urief [®])	NED	19	RP
(5) Tamsulosin hydrochloride 0.4 mg (Harnal [®])	NED	34.5	E
7.4.2 Drugs for urinary frequency, enuresis, and incontinence			
(1) Mirabegron tab. 50 mg	NED	62	RP
(2) Oxybutynin hydrochloride tab. 5 mg. (Ditropan [®])	ଠ	9.5	
(3) Solifenacin succinate tab. 5 mg (Sofecare)	NED		E
(4) Trospium chloride tab. 20 mg. (Spasmo-lyt [®])	ଠ	20.5	
7.4.3 Drugs used for alkalinisation of urine			
(1) Sodium citrate dihydrate 9.5-10.5g., Citric acid monohydrate 6.34 -7.02 g. in 100 ml. oral solution, 500 ml. (Shohl's solution)	hosp	39.5	
(2) Potassium Sodium hydrogen Citrate 280 g granule (Uralyte-U [®])	NED	648	E
8. Malignant disease and immunosuppression			
8.1 Cytostatic drugs			
8.1.1 Alkylating drugs			
(1) Bendamustine inj. 50 mg. (Ribomustin [®])	NED	1410	
(2) Cyclophosphamide tab. 50 mg. (Endoxan [®])	ଠ	6.5	
(3) Cyclophosphamide inj. 1000 mg.(Endoxan [®])	ଠ	497	
(4) Ifosfamide inj. 1,000 mg	∩	931	
(5) Melphalan tab. 2 mg. (Alkeran [®])	ଠ	25	
8.1.2 Cytotoxic antibiotics			
(1) Dactinomycin inj. 0.5 mg.	ଠ	908	
(2) Doxorubicin inj. 10 mg./5 ml., 25 ml.	ଠ	414	
(3) Idarubicin HCL 10 mg inj.	ଠ	8877	
(4) Mitomycin C inj 10 mg.	∩	759	
(5) Mitoxantrone inj. 10 mg/ml, 5 ml	∩	4640	
8.1.3 Antimetabolites			
(1) Capecitabine tab. 500 mg.	∩	100	
(2) Cytarabine inj. 100 mg./5ml	ଠ	1526	
(3) Fluorouracil inj. 50 mg./ml., 20 ml.	ଠ	149	

(4) Gemcitabine inj.	↓	1104	
(5) Mercaptopurine tab. 50 mg.	↻	25	
(6) Methotrexate tab. 2.5 mg.	↻	6	
(7) Methotrexate inj. 50 mg./2 ml.	↻	91	
(8) Methotrexate inj. 1 g. (non-preservative)	↻	1271	
(9) Oxaliplatin inj. 100 mg/20 ml	↓	2371	
(10) Pemetrexed inj. 500 mg	NED	27838	RP
(11) Thioguanine tab. 40 mg.	↓	102	
(12) Tegafur 100 mg + Uracil 224 mg cap.	↓	46	
(13) Tegafur 20 mg + Gimeracil 5.8 mg + Oteracil K 19.6 mg (TS-One [®])	NED		
8.1.4 Vinca alkaloids and etoposide			
(1) Etoposide inj. 100 mg/5 ml.	↻	379	
(2) Vincristine sulfate inj. 1 mg.	↻	172	
8.1.5 Other antineoplastic drugs			
(1) Atezolizumab inj. 60 mg/ml (Tecentriq [®])	NED	71,858	RP
(2) Anagrelide HCl. Cap. 0.5 mg	NED	210	RP
(3) Bortezomib inj. 3.5 mg	NED	62,913	RP
(4) Carboplatin inj. 150 mg.	↻	816	
(5) Ceretininib tab. 150 mg	NED	430	RP
(6) Cisplatin inj. 50 mg./50 ml.	↻	503	
(7) Doxetaxel inj. 80 mg/4 ml	↻2	4,180	E
(8) Doxetaxel inj. 20 mg/1 ml	↻2	1,118	E
(9) Eribulin inj. 1 mg/2ml (Halaven [®])	NED	11,772	RP
(10) Erlotinib tab. 150 mg	↻2	88	E
(11) Eltrombopag tab. 25 mg (Revolade [®])	NED	870	RP
(12) Hydroxyurea cap. 500 mg.	↻	26.5	
(13) Irinotecan inj. 100 mg/5ml	NED	1,931	E
(14) L-Asparaginase inj. 10,000 unit/vial	↻	1904	
(15) Nilotinib capsule 150 mg. (Tasigna [®])	NED	1015	RP
(16) Osimertinib tab. 80 mg (Tagrisso [®])	NED	7665	RP
(17) Paclitaxel inj. 300 mg./50 ml. (Anzatac [®])	↓	2,261	
(18) Panitumumab inj. 100 mg/5 ml	NED	22,060	RP
(19) Pembrolizumab inj. 100 mg./4 mL.	NED		RP
(20) Pertuzumab inj. 30 mg /ml (Perjeta [®])	NED	76,566	RP
(21) Ribociclib tab. 200 mg	NED	940	RP
(22) Rituximab inj. 100 mg/10 ml	↻2	6,938	
(23) Rituximab inj. 500 mg/50 ml	↻2	26,661	
(24) Ruxolitinib tab. 20 mg.	NED		RP
(25) Topotecan inj. 4mg/4 ml	↓	17,128	E
(26) Thalidomide cap. 50 mg	NED	485	RP

(27) Trastuzumab inj. 440 mg (Herceptin [®])	จ2	14,127	E
(28) Trastuzumab subcutaneous inj. 600 mg/5ml (Herceptin [®]) ยานี้ไม่มี	NED	0	E
(29) Tretinoin cap. 10 mg.	ง	114	E
8.2 Drugs affecting the immune response			
(1) Azathioprine tab. 50 mg.	ก	6.5	
(2) Cyclosporine cap. 25 mg.	ก	24.5	
(3) Dexamethasone tab. 0.5 mg.	ก	0.5	
(4) Dexamethasone tab. 4 mg.	ก	2	
(5) Dexamethasone inj. 4 mg./ml., 1 ml.	ก	4	
(6) Intravenous immunoglobulin (IVIG) 5 g.	จ2	5946	
(7) Methylprednisolone sodium succinate inj. 1 g. (Solu-Medrol [®])	ก	2806	
(8) Mycophenolate mofetil cap. 250 mg	ง	62	
(9) Prednisolone tab. 5 mg.	ก	1	
(10) Prednisolone syr. 1 mg./ml., 60 ml. (ยาเตรียมเฉพาะราย)	extemp	54	
8.3 Sex hormones and hormone antagonists in malignant disease			
8.3.1 Progestogen, anti-estrogens and enzyme inhibitors			
(1) Anastrozole tab. 1 mg	ง		E
(2) Letrozole tab. 2.5 mg (Femara [®])	ง	37	E
(3) Tamoxifen tab. 20 mg. (Tuosomin [®])	ก	5.25	
8.3.2 Prostate cancer			
	-1	43.5	
(2) Ketoconazole tab 200 mg	ง	1.5	
(3) Leuprorelin acetate inj. 22.5 mg	ง		E
(4) Abiraterone acetate tab. 250 mg	NED	232	RP
9. Nutrition and blood products			
9.1 Whole blood ,blood products and drugs used in some blood disorders			
9.1.1 Whole blood and blood product			
(1) Fresh frozen plasma	ก	-	
(2) Frozen cryoprecipitate	ก	-	
(3) Leukocyte depleted packed red cell	ก	-	
(4) Packed red cell	ก	-	
(5) Platelet concentration, random donor	ก	-	
(6) Platelet concentration, single donor	ก	-	
(7) Whole blood	ก	-	
9.1.2 Drugs used in hypoplastic, haemoplastic and renal anemias			
(1) Deferaxirox tab. 250 mg (Exjade [®])	จ2	125	
(2) Deferiprone tab. 500 mg. (GPO - L - ONE [®])	ง	4.75	
(3) Erythropoietin alpha,human recombinant inj.4,000 iu./0.2 ml.(Hemax [®])	จ2	505	
(4) Erythropoietin alpha,human recombinant inj.5,000 iu./0.6 ml.(Eprex [®])	จ2	1626	

(5) Erythropoietin alpha, human recombinant inj. 40,000 iu/ ml.(Eprex [®])	จ2	12184	
(6) Erythropoietin beta, human recombinant inj. 75 mcg./0.3 ml.(Mircera [®])	NED	6005	RP
(8) Folic acid tab. 5 mg.	ก	0.5	
(9) Iron sucrose inj. 100 mg/5ml. (Encifer [®])	ก	339	
(10) Oxymetholone tab. 50 mg. (Androlic [®])	ข	15.5	
9.1.3 Drug used in bone marrow transplantation			
(1) Filgrastim inj. 300 µg./vial. (Filgen [®])	ง	619	
9.2 Fluids and electrolytes			
(1) ACETAR-5 inj. 1,000 ml.	NED	60	
(2) Balanced salt solution 1000 ml. (Sterofundin [®])	NED	64	
(3) Calcium polystyrene sulfonate powder 5 g. (Kalimate [®])	ข	27.5	
(4) Complete fat-soluble vitamins inj. 10 ml (Vitalipids [®])	ก	127	
(5) Complete water-soluble vitamins 10 ml (Soluvit-N [®])	ก	127	
(6) Continuous ambulatory peritoneal dialysis (CAPD)	ก	-	
(7) Continuous ambulatory peritoneal dialysis (CAPD) (Normal Ca)	ก	195	
(8) Continuous ambulatory peritoneal dialysis (CAPD) high dose (Low Ca)	ก	969	
(9) Dextran 40 in normal saline inj., 500 ml.	ก	500	
(10) Hydroxyethyl starch inj. 6%, 500 ml. (Haes-Steril [®])	ง	442	
(11) D-5-N injection, 1000 ml.	ก	38	
(12) D-10-N injection, 1000 ml.	ก	38	
(13) D-5-N/2 injection, 1000 ml.	ก	38	
(14) D-5-N/3 injection, 500 ml.	ก	32	
(15) D-5-N/3 injection, 1000 ml	ก	39.5	
(16) D-5-N/4 injection, 500 ml.	ก	32	
(17) D-5-N/5 injection, 500 ml.	ก	32	
(18) D-10-N/2 injection, 1000 ml.	ก	39.5	
(19) D-10-N/5 injection, 200 ml.	ก	37	
(20) D-5-W injection, 50 ml.	ก	20	
(21) D-5-W injection, 100 ml.	ก	20	
(22) D-5-W injection, 250 ml.	ก	30	
(23) D-5-W injection, 500 ml.	ก	32	
(24) D-5-W injection, 1000 ml.	ก	38	
(25) D-10-W injection, 200 ml.	ก	37	
(26) D-50-W injection, 500 ml.	ก	88.5	
(27) Glucose inj. 50%, 50 ml.	ก	21.5	
(28) Potassium chloride inj. 40 mEq., 20 ml.	ก	11.5	
(29) Potassium chloride tab 500 mg (6.67 meq/เม็ด)	ก	1.5	
(30) Potassium chloride syr. 1 mEq./ml., 30 ml., 240 ml, 500 ml. (ยาพลีตี่นร.พ.)	hosp	4.5/ 25/49.5	
(31) Ringer's lactate inj., 1000 ml.	ก	54	

(32) Ringer's acetate inj., 1000 ml.	၈	54	
(33) Sodium bicarbonate tab. 300 mg. (Sodamint [®])	၈	0.5	
(34) Sodium bicarbonate inj. 7.5%, 50 ml.	၈	32	
(35) Sodium chloride tab 300 mg (5.12 meq/၆၆၇)	၈	1	
(36) Sodium chloride inj. 0.45%, 1000 ml.	၈	39.5	
(37) Sodium chloride (Ampule Plastic) inj 0.9%, 5 ml	၈	6.25	
(38) Sodium chloride inj. 0.9%, 50 ml.	၈	15.5	
(39) Sodium chloride inj. 0.9%, 100 ml.	၈	20	
(40) Sodium chloride inj. 0.9%, 250 ml.	၈	31	
(41) Sodium chloride inj. 0.9%, 500 ml.	၈	31	
(42) Sodium chloride inj. 0.9%, 1000 ml.	၈	39.5	
(43) Sodium chloride inj. 0.9%, for irrigation, 100 ml.	၈	31	
(44) Sodium chloride inj. 0.9%, for irrigation, 1,000 ml.	၈	35	
(45) Sodium chloride inj. 3%, 500 ml.	၈	39.5	
(46) Sodium chloride powder 0.99 g (Cleanoze)	NED	91	
(47) Sodium glycerophosphate inj. 216 mg/20 ml	၈	276	
(48) Sterile water for irrigation, 1000 ml.	၈	35	
(49) Sterile water for Injection (Ampule Plastic), 5 ml.	၈	5	
(50) Sterile water for injection, 50 ml.	၈	17	
(51) Sterile water for injection, 1000 ml.	၈	17	
(52) Water for injection, 10 ml.	၈	3.75	
9.3 Vitamins			
(1) Calcitriol cap 0.25 mg	၈	3.25	
(2) Ergocalciferol cap. 20,000 iu. (Calciferol [®])	၈	2.25	
(3) Folic acid tab. 5 mg	၈	0.5	
(4) Multivitamins drops, 15 ml.	NED	46	
(5) Multivitamins syr., 60 ml.	NED	18	
(6) Multivitamins tab.	NED	1	
(7) Vitamin B complex tab.	NED	0.5	
(8) Vitamin B complex inj., 1 ml.	၇	2.75	
(9) Vitamin B1 inj. 100 mg./2 ml.	၈	2.75	
(10) Vitamin B1 tab. 100 mg.	၈	1	
(11) Vitamin B1 6 12 tab.	NED	1	
(12) Vitamin B6 tab. 100 mg.	၈	1.5	
(13) Vitamin B12 inj 1000 mcg./1ml	၈	3	
(14) Vitamin C tab. 100 mg.	၈	1	
(15) Vitamin C inj. 250 mg./ml., 2 ml.	၇	3.75	
(16) Vitamin K Oral solution 1 mg/ml, 20 ml	Extemp	76	
(17) Vitamin K1 inj. 1 mg./0.5 ml.	၈	13.5	
(18) Vitamin K1 inj. 10 mg./1 ml.	၈	16.5	

(19) Vitamin E drop 50 iu/ml; 10 ml	Extemp	61	
(20) Vitamin A 5000 iu. , Vit D 400 iu. , Vit E 10 iu. Vit C 75 mg.Vit B1 2 mg.,Vit	ก	2.5	
9.4 Intravenous nutritions			
(1) Albumin human inj. 20%, 50 ml.	NED	1297	E
(2) Amino acid 10%, sorbitol 10%, Na, Cl, K, Mg , H2Po4, acetate, malate, 500 ml. (Aminosteril [®] , Aminoven [®])	ก	269	
(3) Amino acid (L-form) 7%, essential amino acid 60%, non-essential amino acid 40%, 250 ml (Nephrosteril [®])	ก	208	
(4) Fat emulsion inj. 20%, 250 ml. (Lipovenoes [®] 20%)	ก	312	
(5) Fat emulsion inj. 20%, 100 ml. (SMOFlipid [®] 20%)		442	
(6) Glucose 7.5% +Amino acid 35% +electrolyte+vitamin B1, 420 kcal/bag ; 1000 ml (Bfluid [®])	ง	626	
(7) Glucose 20% +Amino acid 5.5% +Nitrogen + Lipid 10%, 910 kcal/bag ; 1500 ml (Oliclinomel N4-550E [®])	ง		
(8) Glucose 13% +Amino acid 10% +Nitrogen + Lipid 20%, 1,300 kcal/bag ; 1904 ml (Smofkabiven [®])	ง	1827	
(9) Glucose 27.5% +Amino acid 14.5% + Lipid 17.5%, 950 kcal/bag ; 1000 ml (Olimel N-12E [®]) central line	ง	1704	
(10) Multiple trace minerals solution inj. 10 ml. (Addamel N [®])	ก	325	
(11) Trace minerals solution inj. สำหรับเด็ก 10 ml. (Peditrace [®])	ก	257	
9.5 Minerals			
(1) Aluminium hydroxide tab. 500 mg. (Nomag [®])	ก	1	
(2) Calcium carbonate tab. 1500 mg.	ก	1	
(3) Calcium gluconate inj. 100 mg./ml., 10 ml.	ก	8.25	
(4) Ferrous fumarate tab. 200 mg. (eq.Fe3+ 65 mg/tab)	ก	0.5	
(5) Ferrous sulfate drops 50 mg./0.6 ml. (EQ 15 mg. Fe iron)	ก	43	
(6) Iron sucrose inj. 100 mg./amp. (Encifer [®])	ก	339	
(7) Iron (III) Hydroxide polymaltose complex syrup (Eurofer-iron [®])	ข	61	
(8) Lanthanum carbonate tab. 500 mg.	NED	89.5	RP
(9) Magnesium hydroxide susp. 7.5%, 30 ml., 240 ml.	ก	5.5/25.5	
(10) Magnesium sulfate inj. 10%, 10 ml.	ก	8.75	
(11) Magnesium sulfate inj. 50%, 2 ml.	ก	8.25	
(12) Sodium fluoride tab. 0.25 mg.	ก	0.5	
(13) Zinc tab. 25 mg.	ก	1.5	
9.6 Vitamins and minerals for pregnancy and lactating mothers			
(1) Ferrous fumarate tab. 200 mg. (eq. Fe3+ 65mg/tab.)	ก	0.5	
(2) Folic acid tab. 5 mg	ก	0.5	

(3) Vitamin A 5000 iu. , Vit D 400 iu. , Vit E 10 iu. Vit C 75 mg.Vit B1 2 mg.,Vit B2 3 mg., Vit B6 2.5 mg., Vit B12 3 mcg.,Nicotinamide20 mg., Folic acid 1 mg., Fe. fumarate 200 mg.Ca. Lactate 250 mg., Iodine(as iodate) 0.2 mg., Zn.(as Zn sulfate) 20 mg. (Obimin-AZ)	ก	2.5	
10. Musculoskeletal and joint disease			
10.1 Drugs used in rheumatic diseases and gout			
10.1.1 Non-steroidal anti-inflammatory drugs			
(1) Aspirin tab. 81 mg.	ก	0.5	
(2) Aspirin enteric coated tab. 300 mg. (Aspent [®])	ก	1	
(3) Celecoxib cap. 200 mg. (Celebrex [®])	NED	27.5	RP
(4) Diclofenac sodium tab. 25 mg. (Voltaren [®])	ก	0.5	
(5) Dexketoprofen trometamol	NED		
(6) Etoricoxib tab. 90 mg. (Arcoxia [®])	NED	37.5	RP
(7) Ibuprofen tab. 200 mg. (Brufen [®])	ก	1	
(8) Ibuprofen tab. 400 mg. (Brufen [®])	ก	1	
(9) Ibuprofen syr. 100 mg./5 ml., 60 ml. (Brufen [®])	ก	13	
(10) Indomethacin cap. 25 mg. (Indocid [®])	ก	1	
(11) Indomethacin 5 mg./ml., 50 ml. (Indocid [®]) (ยาเตรียมเฉพาะราย)	extemp	33	
(12) Ketoprofen inj. 100 mg/2ml	NED	15	
(13) Ketorolac tromethamine inj. 30 mg/ml, 1 ml	NED	160	E
(14) Loxoprofen tab. 60 mg. (Loxonin [®])	NED	8.25	E
(15) Mefenamic acid tab. 500 mg. (Ponstan [®])	NED	1	
(16) Meloxicam tab. 7.5 mg. (Mobic [®])	NED	2.75	
(17) Parecoxib inj. 40 mg. (Dynastat [®])	NED	246	E
10.1.2 Disease-modifying antirheumatic drugs (DMARDs)			
(1) Azathioprine tab. 50 mg.	ก	6.5	
(2) Chloroquine phosphate tab. 250 mg. (EQ 150 mg.chloroquin base)	ข	1	
(3) Chloroquine phosphate base syrup 9 mg/ml, 50 ml (ยาเฉพาะราย)	extemp	47.5	
(4) Cyclosporin cap. 25 mg.	ก	24.5	
(5) Hydroxychloroquine tab. 200 mg.	ข	7	
(6) Leflunomide tab. 20 mg	ง	34	E
(7) Methotrexate tab. 2.5 mg.	ก	6	
(8) Methotrexate inj. 50 mg./2 ml.	ก	91	
(9) Methotrexate inj. 1 g. (non-preservative)	ก	1271	
(10) Sulfasalazine tab. 500 mg.	ก	3.5	
10.1.3 Drug for treatment of gout and hyperuricaemia			
(1) Allopurinol tab. 100 mg. (Zyrolid [®])	ก	1	
(2) Allopurinol syr. 5 mg./ml., 60 ml.(Zyrolid [®]) (ยาเตรียมเฉพาะราย)	extemp	56.5	
(3) Colchicine tab. 0.6 mg.	ก	1	

(4) Febuxostsat tab 80 mg (Feburic [®])	NED	47	
10.2 Drugs used in neuromuscular disorders			
10.2.1 Drugs which enhance neuromuscular transmission			
(1) Pyridostigmine bromide tab. 60 mg. (Mestinon [®])	ก	8	
(2) Neostigmine methylsulfate inj. 2.5 mg./ml., 5 ml. (Prostigmin [®])	ข	25	
10.2.2 Skelatal muscle relaxants			
(1) Baclofen tab. 10 mg. (Lioresal [®])	ข	1.5	
(2) Baclofen syr. 2 mg./ml., 30 ml. (Lioresal [®])	ข	60	
(3) Diazepam tab. 2 mg. (Valium [®])	ก	0.5	
(4) Diazepam tab. 5 mg. (Valium [®])	ก	0.5	
(5) Diazepam syr. 0.5 mg./ml., 60 ml. (Valium [®]) (ยาเตรียมเฉพาะราย)	extemp	55	
(6) Diazepam inj. 5 mg./ml., 2 ml. (Valium [®])	ก	4.5	
(7) Eperisone HCl tab. 50 mg.	NED	9	RP
(8) Tolperisone HCl tab. 150 mg.	NED	6.25	E
(9) Tizanidine tab. 2 mg	ข	3.25	
(10) Tizanidine tab. 4 mg	ข	5.25	
10.3 Drugs for relief of soft-tissue inflammation			
10.3.1 Rubifacients			
(1) Methylsalicylate cream 15 g. (Counterpain [®])	ก	12	
10.4 Other drugs used in musculoskeletal			
(1) Glucosamine sulfate 750 mg +Chondroitin sulfate 600 mg powder (Artrofort complex [®])	NED	28.5	RP
(2) Diacerein cap. 50 mg (Arthroda [®])	NED	40.5	RP
(3) Nefopam HCL inj. 20 mg/2ml (Aucupan [®])			
(4) Limaprost alfadex tab. 5 mcg (Opamon [®])	NED		RP
(5) Methylsalicylate cream 15 g. (Counterpain [®])	ก	12	
(6) Orphenadrine 35 mg. + Paracetamol 500 mg. tab. (Norgesic [®])	NED	1	
(7) Sodium hyaluronate intra-articular inj. (Ostenil Plus)	NED	2533	RP
(8) Tramadol 375 mg.+ Paracetamol 325 mg. tab. (Ultracet [®])	NED	7.75	E
11. Eye			
11.1 Anti-infective eye preparations			
11.1.1 Antibacterials and eye wash solution			
(1) Chloramphenicol eye oint 1%, 5 g.	ก	14	
(2) Levofloxacin eye drop 1.5%,5 ml (Cravit [®])	NED	193	E
(3) Moxifloxacin 0.5% eye drop, 5 ml. (Vigamox [®])	NED	177	E
(4) Oxytetracycline eye oint 0.5%, 3.5 g. (Terramycin [®])	NED	27	
(5) Polymyxin B. sulfate + Neomycin sulfate + Gramicidin eye drops, 10 ml. (Poly-oph [®])	ก	31	
(6) Vancomycin eye drop 50 mg./ml., 10 ml. (ยาผลิตในร.พ.)	hosp	129	
11.1.2 Antibacterials with corticosteroids			

(1) Dexamethasone Na phosphate 0.1% + Neomycin 0.35% ophthalmic solution, 5 ml. (Dexoph [®])	ก	22.5	
(2) Dexamethasone Na phosphate 0.1% + Neomycin 3.5 mg./ml. + Polymixin B sulphate 6000 iu./ml.ophthalmic oint,3.5 g.(Maxitrol [®])	NED	83	
11.1.3 Antifungals			
(1) Amphotericin B eye drop 0.3%, 5 ml. (ยาผลิตในร.พ.)	hosp	103	
(2) Fluconazole eye drop 0.2 %, 5 ml. (ยาผลิตในร.พ.)	hosp	46.5	
(3) Natamycin eye drop 5 %, 15 ml.	ง	2745	
11.2 Corticosteroids and other anti-inflammatory preparation			
(1) Antazoline Hcl +Tetrahydrozoline HCl eye drops, 10 ml. (Histaoph [®])	ก	13	
(2) Fluorometholone eye drops 0.1%, 5 ml. (Fluoph [®])	ก	58.5	
(3) Olopatadine HCl eye drop 0.2%, 2.5 ml. (Pataday [®])	NED	343	R
(4) Prednisolone acetate eye drops 1%, 5 ml. (Inf-oph [®])	ก	38	
(5) Pemirolast potassium eye drop 0.1%,5 ml (Pemirox [®])	NED	128	E
11.3 Mydriatics and cycloplegics			
(1) Atropine sulfate eye drops 0.5%, 5 ml. (ยาผลิตในร.พ.)	hosp	134	
(2) Atropine sulfate eye drops 1%, 5 ml. (Isopto [®] atropine 1%)	ก	100	
(3) Phenylephrine hydrochloride eye drops 10%, 5 ml.	ก	159	
(4) Tropicamide eye drops 1%, 15 ml. (Midriacyl [®])	ก	274	
(5) Tropicamide 0.8% + Phenylephrine HCl 5% eye drops , 15 ml. (Mydria Mac [®])	ก	132	
11.4 Drugs for treatment of glaucoma			
(1) Acetazolamide tab. 250 mg. (Diamox [®])	ก	2.25	
(2) Acetazolamide syr. 10 mg./ml., 50 ml.(Diamox [®])(ยานเฉพาะราย)	extemp	56.5	
(3) Bimatoprost eye drop 0.03%+Timolol maleate 0.5% eye drop, single use (Ganfort PF [®])	NED	615	RP
(4) Brimonidine tartrate eye drop 0.10%, 5 ml. (Alphagan [®] P)	NED	385	E
(5) Brimonidine tartrate eye drop 0.20%, 5 ml. (Alphagan [®])	NED	120	
(6) Brimonidine tartrate 0.2%+Timolol 0.5% eye drop, 5 ml. (Combigan [®])	NED	346	E
(7) Brinzolamide HCl 10 mg+Timolol maleate 5 mg eye drop, 5 ml. (Azagar [®])	ก	300	E
(8) Dorzolamide HCl 20 mg+Timolol maleate 5 mg eye drop, 5 ml. (Cosopt [®])	NED	811	R
(9) Glycerol oral solution 50%, 60 ml. (ยาผลิตในร.พ.)	hosp	9.25	
(10) Latanoprost eye drop 0.005%, 2.5 ml (Xalatan [®])	ก	128	E
(11) Pilocarpine hydrochloride or nitrate eye drops 2%, 15 ml. (Isopto carpine [®])	ก	83	
(12) Tafluprost eye drop 15 mcg/ml, unit dose 30'S	NED	493	RP
(13) Tafluprost 15 mcg+Timolol 5 mg eye drop, 1 ml. unit dose (Tapcom-S [®])	NED	652	RP
(14) Timolol maleate eye drops 0.5%, 5 ml. (GlucOph [®])	ก	63.5	

11.5 Local anaesthetics			
(1) Tetracaine HCL 0.5 %, 15 ml. (Tetracaine [®])	ก	91	
11.6 Tear deficiency, ocular lubricants and astringents			

(1) Carbomer eye gel., 10 g. (Vidiscic [®])	จ	146	
(2) Diquafosol sodium eye drops 3%, unit dose (Diquas [®])	NED	203	RP
(3) Hydroxypropyl methylcellulose eye drops 0.3%, 10 ml. (HPMC) (Natear [®])	NED	78	
(4) Hypromellose eye gel 0.3%, 10 g. (Gential [®] eye gel)	NED	208	E
(5) Sodium hyaluronate 0.18% nebule, 0.45 ml., 30 nebule (Vislube [®])	NED	454	R
(5) Sodium hyaluronate 0.30% nebule, 0.40 ml., 30 nebule (Hialid 0.3 mini [®])	NED		R
(6) Sodium hyaluronate 0.1% +Carboxymethyl Cellulose Sodium 0.5% + Glycerine 0.9% eye drop + (Optive fusion [®])	NED	319	R
11.7 Ocular diagnostic and peri-operation preparation and photodynamic treatment			
(1) Aflibercept inj. 2 mg/0.05 ml (Eylea [®])	NED	39,700	RP
(2) Balance salt solution for eye irrigation 500 ml.	ก	217	
(3) Bevacizumab inj. 100 mg/4 ml (Avastin [®])	จ2	10,066	E
(4) Carbachol inj. 0.01%, 1.5 ml. (Miostat [®])	ก	294	
(5) Dexamethasone Intravitreal 0.7 mg (Ozurdex [®])	NED	42,540	RP
(6) Faricimab inj. 120 mg/mL(6 mg/0.05mL) (Vabysmo [®])	NED		RP
11.8 Other ophthalmic preparations			
(1) Cyclosporine ophthalmic emulsion 0.05%, 0.4 ml (Restasis [®])	NED	1161	E
(2) Ketorolac tromethamine ophthalmic solution 0.5%, 5 ml.(Acular [®])	NED	207	E
(3) Mitomycin C eye drop 50 mcg/ml, 5 ml. (ยาผลิตในร.พ.)	hosp	367	
(4) Mitomycin C eye drop 200 mcg/ml, 5 ml. (ยาผลิตในร.พ.)	hosp	360	
(5) Mitomycin C eye drop 400 mcg/ml, 5 ml. (ยาผลิตในร.พ.)	hosp	355	
(6) Sodium chloride eye drop 3%, 10 ml. (ยาผลิตในร.พ.)	hosp	18.5	
(7) Sodium chloride eye drop 5%, 10 ml. (ยาผลิตในร.พ.)	hosp	18	
12. Ear, nose, and Oropharynx			
12.1 Drugs acting on the ear			
12.1.2 Drug used in otomycosis			
(1) Clotrimazole ear drops 1%, 10 ml.	ช	64.5	
(2) Ketoconazole ear drops 2%, 10 ml.	hosp	47	
12.1.3 Other drugs acting on the ear			
(1) Ofloxacin ear drops 3 mg./ml., 5 ml. (Tarivid [®] Otic Solution)	ก	196	
(2) Sodium bicarbonate ear drops 3%, 10 ml. (ยาผลิตในร.พ.)	hosp	42	
(3) Sodium bicarbonate ear drops 5%, 10 ml. (ยาผลิตในร.พ.)	hosp	41	
12.2 Drugs acting on the nose			
12.2.1 Drugs used in nasal allergy			
(1) Fluticasone furoate nasal spray 27.5 mcg./dose, 60 dose (Avamys [®])	จ	288	E
(2) Mometasone fuorate nasal spray 50 mcg/puff, 120 dose (Nasonex [®])	NED	823	RP
(3) Azelastin HCl 137 mcg+Fluticasone 50 mcg nasal spray, 120 dose (Dymista [®])	NED	726	E
12.2.2 Topical nasal decongestants			
(1) Oxymetazoline nasal spray 0.05%, 15 ml. (Oxymet [®] , Pernazine [®])	ช	93.5	
12.3 Drugs acting on the oropharynx and oral cavity			

12.3.1 Drugs used in treatment of oral ulcer			
(1) Benzylamine hydrochloride spray 3 mg/ml, 30 ml (Diffiam forte [®])	NED	282	E
(2) Chlorhexidine gluconate 0.12% mouth wash, 240 ml. (ยาผลิตินร.พ.)	hosp	31	
(3) Fluocinolone acetonide oral paste 0.1%, 5 g.(เฉพาะทันตกรรม)	ช	87.5	
(4) Triamcinolone acetonide oral past 0.1%, 1 g.	NED	4.25	
12.3.2 Oropharyngeal antifungal drugs			
(1) Itraconazole oral solution 10 mg./ml., 10 ml. (ยาเฉพาะราย)	extemp	58	
(2) Nystatin susp. 100,000 u./ml., 12 ml. (Mycostatin [®])	ก	37	
12.3.3 Antiseptics for root canal treatment			
(1) Chlorhexidine gluconate 0.12% mouth wash, 240 ml. (ยาผลิต)	hosp	31	
12.3.4 Drugs used in prevention and treatment of dental plaque and caries			
(1) Chlorhexidine gluconate 0.2% mouth wash, 120 ml. (ยาผลิต)	hosp	31	
(2) Sodium fluoride tab. 0.25 mg.	ก	0.5	
12.3.5 Other dental preparations			
(1) Epinephrine bitartrate inj. 1 mg/ml	ก	4.25	
(2) Sodium chloride inj. 0.9%, 100 ml.	ก	20	
(3) Sodium chloride inj. 0.9%, 500 ml.	ก	31	
(4) Sodium chloride inj. 0.9%, 1000 ml.	ก	35	
(5) Special mouth wash, 240 ml., 4 L. (ยาผลิตินร.พ.)	hosp	8.75	
(6) Tincture iodine 2.5%, 60 ml., 480 ml. (ยาผลิตินร.พ.)	hosp	27/182	
13. Skin			
13.1 Anti-infective skin preparations			
13.1.1 Antibacterial preparation			
(1) Chlohexidine acetate gauze dressing 0.5% (Bactigras [®])	NED	12.5	
(2) Fusidic acid cream, 5 g.	ช	104	
(3) Fusidic acid 20 mg + Betamethasone valerate 1 mg cream, 20 g. (Fucicort [®])	NED	251	E
(4) Mupirocin ointment 2%, 5g. (Bactroban [®])	ช	49	
(5) Silver sulfadiazine cream 1%, 6 g, 450 g. (Siverol [®] , Dermazin [®])	ก	6 / 368	
13.1.2 Antifungal preparations			
(1) Benzoic acid 6 g.+Salicylic acid 3 g. oint., 10 g.(Whitfield [®] ointment)	ก	6.5	
(2) Clotrimazole cream 1%, 15g. (Canesten [®])	ก	29	
(3) Ketoconazole cream 2%, 5 g. (Nizoral [®])	ก	9	
13.1.3 Parasiticial preparations			
(1) Permethrin lotion 1%, 60 ml.	ก		
(2) Permethrin lotion 5%, 30 ml.	ก	146	
13.2 Emollient and barrier preparations			
(1) Olive oil, 60 ml, 450 ml.	ก	38.5/232	
(2) Urea cream 10%, 35 g.	ก	49	
(3) White petrolatum (Vaseline) 5 g., 10 g.	ก	3.5/5.5	
(4) Zinc oxide paste, 5 g., 10 g. (ยาผลิตินร.พ.)	hosp	13.5/ 25	

13.3 Topical antipruritics			
(1) Calamine lotion 15%, 60 ml.	ก	10.5	
13.4 Topical Corticosteroids			
(1) Betamethasone valerate cream 0.1%, 15 g. (Betnovate [®])	ก	18	
(2) Betamethasone +Salicylic Acid ointment, 15 g (Epiklin [®])	NED	61	
(3) Clobetasol propionate cream 0.05%, 15 g. (Dermovate [®])	ก	20	
(4) Clobetasol propionate solution 0.05%, 15 ml. (Cloderm scalp [®])	ก	214	
(5) Hydrocortisone 1%, 15 g cream (H-cort [®])	ก	140	
(6) Mometasone fuorate 0.1%, 5 g. cream (Elomet [®])	ง	67.5	E
(7) Triamcinolone acetonide cream 0.1%, 15 g, (Aristocort [®]), 150 g.	ก	18, 121	
(8) Triamcinolone acetonide lotion 0.1%, 60 ml. (Aristocort [®])	ก	27.5	
(9) Triamcinolone acetonide cream 0.02%,10 g. (Aristocort [®])	ก	11	
13.5 Other preparations for psoriasis (excluding topical corticosteroids)			
(1) Acitretin cap. 10 mg. (Neotigason [®])	ง	36	
(2) Calcipotriol 50 mcg+Betamethasone 0.5 mg.oint.,15 g.(Daivobet [®])	NED	651	
(3) Calcipotriol 50 mcg+Betamethasone 0.5 mg.gel.,15 g.(xamiol [®])	NED	774	E
(4) Coal tar shampoo 0.1%, 120 ml. (Polytar [®])	ก	79	
(5) Cyclosporin cap. 25 mg.	ง	24.5	
(6) 5% LCD + 0.1%TA cream 100g. (ยาผลิต)(ยาผลิตในร.พ.)	hosp	81	
(7) Infliximab inj. 100 mg (Remicade [®])	NED	28,921	RP
(8) Methotrexate tab. 2.5 mg.	ช	6	
(9) Methoxsalen cream 0.1%, 10 g. (Meladinin [®])	ก	43.5	
(10) Selenium sulfide susp. 25%, 120 ml. (Selsun [®])	NED	79	
(11) Secukinumab pre-filled pen inj.	NED		RP
13.6 Preparations for warts and calluses			
(1) Podophyllin paint 25%, 15 ml.	ก	276	
(2) Salicylic acid + liquied phenol (CON-CON [®]) solution 15 ml.	NED	46	
13.7 Other skin preparations			
(1) Acyclovir cream 5%, 5 g. (Zovirax [®])	NED		
(2) Burow's solution 60 ml. (ยาผลิตในโรงพยาบาล)	hosp	32	
(3) Tacrolimus monohydrate ointment 0.1%, 10 g	NED		
14. Immunological products and vaccines			
(1)Anti-D immunoglobulin, human inj. 750 iu/ml, 2ml (IGAMAD [®])	ก	5946	
(2)Antirabies hyperimmune serum inj.200 iu./ml, 2 ml.(Equine)(ERIG [®])	ก	759	
(3) Antirabies hyperimmune serum inj.150 iu./ml, 5 ml. (Human) (HRIG [®]) (ยาสำรองใช้ในกรณีผู้ป่วยแพ้ ERIG [®])	ก	1779	
(4) Hepatitis B.immunoglobulin inj.180 u./ml.,1 ml.	ก	2811	E
(5) Rabies vaccine inj., (PCEC [®] , Verorab [®])	ก	333	
(6) Tetanus toxoid inj., 5 ml.	ก	55	
(7) Tetanus antitoxin inj. 1500 u./1 ml (Equine)	ก	97	

(8) Tetanus antitoxin inj. 250 u. (Human) (Tetagam [®] P)	ก	503	
15. Anesthesia			
15.1 General anaesthesia			
15.1.1 Intravenous anaesthetics			
(1) Etomidate in MCT/LCT fat emulsion 20 mg./10 ml.	ก	257	
(2) Ketamine hydrochloride inj. 500 mg./10 ml. (Ketalar [®])	ง	184	
(3) Propofol inj. 10 mg./ml. , 20 ml. (Diprivan [®])	ก	128	
(4) Thiopental sodium inj. 1 g. (Pentothal [®])	ก	207	
15.1.2 Inhalation anaesthetics			
(1) Desflurane inhaler agent, 240 ml. (Suprane [®])	NED	6181	
(2) Sevoflurane liquid 100%, 250 ml. (Sevorane [®])	ก	5286	
15.1.3 Muscle relaxant (Neuromuscular blocking drugs)			
(1) Cisatracurium besylate inj. 2 mg./ml., 5 ml. (Nimbex [®])	ก	177	
(2) Rocuronium bromide inj. , 10 mg./ml	ก	385	
(3) Suxamethonium chloride inj. 500 mg. (Succinyl [®])	ก	184	
15.1.4 Sedative and analgesic peri-operative drugs			
(1) Diazepam tab. 2 mg., 5 mg.(Valium [®])	ก/ก	0.5/0.5	
(2) Diazepam syr. 0.5 mg./ml, 60 ml.(Valium [®]) (ยาเตรียมเฉพาะราย)	extemp	55	
(3) Diazepam inj. 5 mg./ml., 2 ml. (Valium [®])	ก	4.5	
(4) Fentanyl citrate inj. 50 mcg./ml., 2 ml.	ก	25	
(5) Fentanyl transdermal patch 25 mcg/hour	ก	149	
(6) Fentanyl transdermal patch 50 mcg/hour	ก	218	
(7) Ketorolac tromethamine inj. 30 mg./ml.	NED	196	
(8) Midazolam inj. 5 mg./ml. (Dormicum [®])	ง	19	
(9) Morphine sulfate inj. 10 mg./ml., 1 ml.	ก	7.75	
(10) Pethidine hydrochloride inj. 50 mg./ml., 1 ml.	ก	7.75	
15.1.5 Anticholinesterases and antimuscarinic drugs used in anaesthesia			
(1) Atropine sulfate inj. 0.6 mg./ml., 1 ml.	ก	3	
(2) Neostigmine methylsulfate inj. 2.5 mg./ml., 5 ml. (Prostigmin [®])	ก	25	
15.2 Local anaesthesia			
(1) Bupivacaine HCl inj. 0.5% heavy for spinal anaesthesia, 4 ml. (Marcaine [®] heavy)	ก	165	
(2) Bupivacaine HCl inj. 0.5%, 20 ml. (Marcaine [®])	ก	161	
(3) Levobupivacaine inj. 5 mg/ml.	NED	239	
(4) Lidocaine HCl inj. 1%, 20 ml.	ก	23.5	
(4) Lidocaine HCl inj. 2%, 10 ml. (preservative free) (เฉพาะ CVT)	ก	36	
(5) Lidocaine HCl inj. 2%, 50 ml.	ก	37	
(6) Lidocaine HCl spray 10%, 50 ml.	ก	516	
(7) Lidocaine HCl jelly 2%, 30 g.	ก	97.5	
(8) Lidocaine HCl viscous solution 2%, 10 ml., 100 ml.	ก	40.5/319	

(9) Lidocaine HCl 1% + Epinephrine 1:100,000 inj., 20 ml.	ก	59	
(10) Lidocaine HCl 2% + Epinephrine 1:200,000 inj., 10 ml.	ก	69	
(11) Lidocaine HCl 2%+Epinephrine1:100,000 inj. (Dental cartridge) ,,1.8 ml.	ก	12	
16. Antidotes			
(1) Acetylcysteine inj. 100 mg./ml., 3 ml. (Fluimucil [®])	ก	25	
(2) Antivenom sera inj. (Band krait) เซรุ่มแก้พิษงูสามเหลี่ยม	ก	783	
(3) Antivenom sera inj. (Corba) เซรุ่มแก้พิษงูเห่า	ก	783	
(4) Antivenom sera inj. (Green pit viper) เซรุ่มแก้พิษงูเขียวหางไหม้	ก	783	
(5) Antivenom sera inj. (King cobra) เซรุ่มแก้พิษงูจงอาง	ก	783	
(6) Antivenom sera inj. (Malayan pit viper) เซรุ่มแก้พิษงูกะปะ	ก	783	
(7) Antivenom sera inj. (Malayan krait) เซรุ่มแก้พิษงูทับสมิงคตา	ก	783	
(8) Antivenom sera รวม/ระบบประสาท inj.	ก	1161	
(9) Antivenom sera รวม/ระบบโลหิต inj.	ก	1161	
(10) Atropine sulfate inj. 0.6 mg./ml., 1 ml.	ก	3	
(11) Benztropine mesylate inj. 2 mg/2ml	ก	269	
(12) Calcium Folate tab. 15 mg.	ง	10.5	
(13) Calcium gluconate inj. 100 mg./ml., 10 ml.	ก	8.25	
(14) Charcoal, Activated powder, 50 g. (Ultracarbon [®])	ก	63	
(15) Cyclophosphamide inj. 1000 mg. (Endoxan [®])	ก	497	
(16) Diazepam inj. 5 mg/ml, 2 ml.	ก	4.5	
(17) Idarucizumab inj. 2.5 mg (Praxband [®])	NED	68327	E
(18) Leucoverin calcium inj. 300 mg./ 30 ml.	ง	322	
(19) Methylene blue inj. 50 mg/5ml	ง	141	
(20) Naloxone hydrochloride inj. 0.4 mg./ml., 1 ml. (Narcan [®])	ก	276	
(21) Octreotide inj. 0.1 mg./ml., 1 ml. (Sandostatin [®])	ง	197	
(22) Pralidoxime chloride (2-PAM) inj. 1 g.	ก	873	
(23) Protamine sulfate inj. 10 mg./ml., 5 ml.	ก	241	
(24) Sodium bicarbonate inj. 7.5%, 50 ml.	ก	32	
(25) Sodium nitrite inj. 3%, 10 ml.	ก	141	
(26) Sodium thiosulphate inj. 25%, 18 ml	ก	148	
(27) Vitamin K inj. 10 mg/ml.	ก	16.5	
17. Contrast medias and Radiopharmaceuticals			
17.1 X-ray contrast media iodinated			
17.1.1 Drugs used in urography and computed tomography			
(1) Iopamidol solution 300 mg./ml., 50 ml.	ง	908	
17.1.2 Drugs used in angiography			
(1) Iopamidol solution 300 mg./ml., 50 ml.	ง	908	
(2) Iopromide solution 38.44 mg./ml., 50 ml.	ง	908	
17.1.3 Drugs used in myelography			
(1) Iopamidol solution 300 mg./ml., 50 ml.	ง	908	

17.1.4 Drugs used in cardiovascular catheterization			
(1) Iopamidol solution 300 mg./ml., 50 ml.	ง	436	
17.2 X-ray contrast medias, non- iodinated			
(1) Barium sulfate suspension 200 ml.	ก	200	
18. Miscellaneous			
(1) Aescin tab 20 mg (Reparil)	NED		E
(2) Dexpanthenol Nasal Spray 20 ml, 140 dose (Mar-plus [®] Spray)	NED	172	E
(3) Diosmine 900 mg.+ Hesperidine 100 mg. micronized tab. (Daflon [®] 1000 mg)	NED		
(4) Glycerol 100 g+glucose monohydrate 27.5 g+ Sodium chloride 4.5 g for infusion 500 ml (10% glycerosteril [®])	NED	380	E
(5) Idarucizumab inj. 2.5 mg	NED	6327	R
(6) Ketosteril [®] tab. 600 mg.	NED	22.5	
(7) Mesna inj. 400 mg./4 ml.	NED	128	
(8) Misoprostol tab 200 mcg (Cytotec [®]) (สำรองที่ตึกนรีเวช)	NED	14	
(9) Nicergoline tab. 30 mg.	NED	14.5	E
(10) Proctase 10 mg + Pancreatin 50 tab. (Proctase-P [®])	NED	3.5	E
(11) Piracetam cap. 400 mg.	NED	1.5	E
(12) Sodium nitrate solution 240 ml. (ยาผลิตในร.พ.) (น้ำยาอมอดบุหรี)	hosp	15	
19. รายการยาสมุนไพร			
19.1 ยารักษาอาการทางระบบไหลเวียนโลหิต (แก้ลม)			
(1) ยาหอมเทพจิตร	ED	68	
(2) ยาหอมนวโกฐ	ED	102	
19.2 ยารักษาอาการทางระบบทางเดินหายใจ			
(1) ฟ้าทะลายโจรแคปซูล 500 mg.	ED	1.5	
(2) ยาอมมะแว้ง, 20 เม็ด/ซอง	ED	8.5	
(3) ยาปราบชมพูทวีป capsule, 250 mg	ED	1.5	
(4) ยาแก้ไอมะขามป้อม 60 ml.	ED	29.5	
19.3 ยารักษาอาการทางระบบทางเดินอาหาร			
(1) ขมิ้นชันแคปซูล , 24 mg.	ED	1.5	
(2) จิงแคปซูล 500 mg.	ED	1.5	
(3) ยาเบญจกูด capsule, 500 mg.	ED	1.5	
(4) ยาธาตุน้ำขาว 250 ml.	ED	29.5	
(5) มะขามแขกเม็ด [Sennoside tab. (Standardized senna 7.5 mg.)]	ED	1.5	
(6) ยาชุมเห็ดเทศ	ED	25	
(7) ยากลิ้ว 10g/ซอง	ED	6.5	
(8) เพชรสังฆาตแคปซูล 500 mg.	ED	1.75	
19.4 ยารักษาอาการสูติศาสตร์-นรีเวชวิทยา			
(1) ยาประสะไพล capsule, 400 mg.	ED	1.75	
(2) ยาเลือดงาม capsule, 400 mg	ED	1.5	
19.5 ยารักษาอาการแก้ไข้			

(1) ยาจินทนนีลีลา capsule, 500 mg.	ED	2.25	
(2) ยาเจ็ชวหอม capsule, 250 mg.	ED	43	
(3) ยาห้าราก capsule, 500 mg.	ED	1.5	
(4) มะระจีนกแคปซูล 500 mg.	ED	2.5	
19.6 ยารักษากลุ่มอาการทางระบบผิวหนัง			
(1) ครีมพญาขอ 4.34 %, 10 g.	ED	58.5	
(2) ครีมพญาขอ 10 g.	ED	28.5	
(3) ยาเปลือกมังคุด 30 ml.	ED	22.5	
19.7 ยารักษากลุ่มอาการทางกล้ามเนื้อและกระดูก			
(1) เจลพริก (Capsaicin gel) 25 mg. / 100 g.	ED	51.5	
(2) น้ำมันไพล 30 ml.	ED	37	
(3) ยาสหัสธารา capsule, 350 mg	ED	1.5	
(4) ยาธรณีสังฆะฆาต capsule, 250 mg	ED	2.75	
(5) เถวัลย์เปรียงแคปซูล 400 mg.	ED	1.5	
(6) ลูกประคบสมุนไพรสด (เฉพาะงานแพทย์แผนไทย)	hosp	79	
(7) ลูกประคบสมุนไพรแห้ง (เฉพาะงานแพทย์แผนไทย)	hosp	79	
19.8 ยารักษากลุ่มอาการทางเดินปัสสาวะ			
(1) ชาขงกระเจียบแดง (10ซอง/ถุง)	ED	43	
19.9 ยารักษากลุ่มอาการนอนพิษเมาเบือ			
(1) ชาขงรางจืด (7 ซอง/ถุง)	ED	25	
19.10 ยารักษากลุ่มอาการลดความอยากบุหรี			
(1) ชาขงหญ้าดอกขาว (10ซอง/ถุง)	ED	25	